

For Research Use Only

IL-5 Polyclonal antibody

Catalog Number: 26677-1-AP

4 Publications



Basic Information

Catalog Number:

26677-1-AP

Size:

500 µg/ml

Source:

Rabbit

Isotype:

IgG

Immunogen Catalog Number:

AG24583

GenBank Accession Number:

BC066282

GeneID (NCBI):

3567

UNIPROT ID:

P05113

Full Name:

interleukin 5 (colony-stimulating factor, eosinophil)

Calculated MW:

134 aa, 15 kDa

Purification Method:

Antigen affinity purification

Recommended Dilutions:

WB 1:1000-1:6000

IHC 1:50-1:500

Applications

Tested Applications:

WB, IHC, ELISA

Cited Applications:

WB, IHC

Species Specificity:

human

Cited Species:

human

Positive Controls:

WB : Recombinant protein,

IHC : human breast cancer tissue,

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Background Information

Notable Publications

Author	Pubmed ID	Journal	Application
Mei Zheng	35637792	J Immunol Res	WB
Wen-Xuan Zhu	32621541	Laryngoscope	IHC
Wen-Xuan Zhu	35199865	Laryngoscope	IHC

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

For technical support and original validation data for this product please contact:


T: 4006900926

E: Proteintech-CN@ptglab.com


W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data



Immunohistochemical analysis of paraffin-embedded human breast cancer tissue slide using 26677-1-AP (IL5 Antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffin-embedded human breast cancer tissue slide using 26677-1-AP (IL5 Antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Recombinant protein were subjected to SDS PAGE followed by western blot with 26677-1-AP (IL5 Antibody) at dilution of 1:3000 incubated at room temperature for 1.5 hours.