For Research Use Only

SFRS11 Polyclonal antibody

Catalog Number:26751-1-AP

Featured Product



Basic Information

Catalog Number:

26751-1-AP

BC040436

Size:

250 µg/ml

9295

Source:

Rabbit

Q05519

Isotype:

GenBank Accession Number:

BC040436

GeneID (NCBI):

9295

UNIPROT ID:

Q05519

Full Name:

Full Name: splicing factor, arginine/serine-rich

Immunogen Catalog Number:

AG25015 Calculated MW:

483 aa, 53 kDa Observed MW: 68 kDa

Applications

Tested Applications:
IHC, WB, ELISA
Species Specificity:

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate

buffer pH 6.0

human, rat

Positive Controls:

WB: HEK-293T cells,

IHC: human breast cancer tissue, rat colon tissue

Purification Method:

WB 1:500-1:1000 IHC 1:500-1:2000

Antigen affinity purification

Recommended Dilutions:

Background Information

Storage

Storage:


Store at -20°C. Stable for one year after shipment.

Storage Buffer:


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


Selected Validation Data




Immunohistochemical analysis of paraffinembedded human breast cancer tissue slide using 26751-1-AP (SFRS11 antibody) at dilution of 1:1000 (under 10x lens).




Immunohistochemical analysis of paraffinembedded human breast cancer tissue slide using 26751-1-AP (SFRS11 antibody) at dilution of 1:1000 (under 40x lens).




Immunohistochemical analysis of paraffinembedded rat colon tissue slide using 26751-1-AP (SFRS11 antibody) at dilution of 1:1000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded rat colon tissue slide using 26751-1-AP (SFRS11 antibody) at dilution of 1:1000 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



WB result of SFRS11 antibody (26751-1-AP; 1:600; incubated at room temperature for 1.5 hours) with sh-Control and sh-SFRS11 transfected HEK-293T cells.



Various lysates were subjected to SDS PAGE followed by western blot with 26751-1-AP (SFRS11 antibody) at dilution of 1:500 incubated at room temperature for 1.5 hours.