For Research Use Only

HNRPLL Polyclonal antibody

Catalog Number: 26769-1-AP

Featured Product

3 Publications

Q8WVV9



Basic Information

Catalog Number: GenBank Accession Number: 26769-1-AP BC017480

Size: GeneID (NCBI): 92906

Source: UNIPROT ID:

Isotype: Full Name:

IgG heterogeneous nuclear ribonucleoprotein L-like

AG25287 Observed MW: 60 kDa

Purification Method: Antigen affinity purification Recommended Dilutions: WB 1:5000-1:50000

IHC 1:50-1:500 IF/ICC 1:50-1:500

Applications

Tested Applications: WB, IHC, IF/ICC, ELISA Cited Applications: WB, IHC, IF, RIP

Species Specificity: human, mouse

Cited Species: human

Rabbit

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0 Positive Controls:

WB: HEK-293 cells, HeLa cells, HepG2 cells, K-562 cells IHC: mouse kidney tissue, human stomach cancer

tissue

IF/ICC : HepG2 cells,

Background Information

HNRPLL, also named as HNRNPLL and SRRF, is an RNA binding protein that regulates alternative splicing of premRNA. HnRNPLL is up-regulated in stimulated T cells, bound CD45 transcripts, and is a key inducible regulator of CD45 alternative splicing (PMID: 18669861). HNRPLL has 5 isoforms with the molecular weights of 31-60 kDa. Additionally, studies have shown that HNRPLL is a metastasis suppressor gene in colorectal cancer (PMID: 28360095).

Notable Publications

Author	Pubmed ID	Journal	Application
Xianghan Chen	39742990	Cancer Lett	RIP,IHC
Zhifei Ma	37461053	J Exp Clin Cancer Res	WB,IHC,IF
Shuping Peng	37243830	Stem Cell Rev Rep	WB

Storage

Storage:


Store at -20°C. Stable for one year after shipment.

Storage Buffer:


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 26769-1-AP (HNRPLL antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded mouse kidney tissue slide using 26769-1-AP (HNRPLL antibody) at dilution of 1:200 (under 40x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (4% PFA) fixed HepG2 cells using HNRPLL antibody (26769-1-AP) at dilution of 1:200 and CoraLite® 488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L) (SA00013-2), CL594-phalloidin (red).