

For Research Use Only

TP53RK Polyclonal antibody

Catalog Number: 26818-1-AP

Featured Product

1 Publications



Basic Information

Catalog Number:

26818-1-AP

Size:

260 µg/ml

Source:

Rabbit

Isotype:

IgG

Immunogen Catalog Number:

AG25326

GenBank Accession Number:

BC009727

GeneID (NCBI):

112858

UNIPROT ID:

Q96544

Full Name:

TP53 regulating kinase

Calculated MW:

28 kDa

Observed MW:

30 kDa

Purification Method:

Antigen affinity purification

Recommended Dilutions:

WB 1:500-1:2000

IP 0.5-4.0 µg for 1.0-3.0 mg of total protein lysate

IHC 1:400-1:1600

Applications

Tested Applications:

IHC, IP, WB, ELISA

Cited Applications:

WB

Species Specificity:

human

Cited Species:

human

Note-IHC: suggested antigen retrieval with **TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0**

Positive Controls:

WB : Jurkat cells, HepG2 cells

IP : Jurkat cells,

IHC : human testis tissue,

Background Information

Notable Publications

Author	Pubmed ID	Journal	Application
Yuanzhong Wu	32944406	Cancer Biol Med	WB

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

For technical support and original validation data for this product please contact:


T: 4006900926

E: Proteintech-CN@ptglab.com


W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




Immunohistochemical analysis of paraffin-embedded human testis tissue slide using 26818-1-AP (TP53RK antibody) at dilution of 1:800 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffin-embedded human testis tissue slide using 26818-1-AP (TP53RK antibody) at dilution of 1:800 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Jurkat cells were subjected to SDS PAGE followed by western blot with 26818-1-AP (TP53RK Antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours.



IP result of anti-TP53RK (IP:26818-1-AP, 4ug; Detection:26818-1-AP 1:700) with Jurkat cells lysate 3200ug.