For Research Use Only

CstF-64 Polyclonal antibody

Catalog Number: 26825-1-AP

Featured Product

6 Publications



Basic Information

Catalog Number:

26825-1-AP

Size:

GeneID (NCBI):

700 µg/ml

1478

Source:

Rabbit

P33240

Isotype:

GeneID (NCBI):

Full Name:

G cleavage stimulation factor, 3' pre-

Immunogen Catalog Number: RNA, subunit 2, 0
AG25254 Calculated MW:

61 kDa Observed MW: 64 kDa Purification Method: Antigen affinity purification Recommended Dilutions:

IP 0.5-4.0 ug for 1.0-3.0 mg of total protein lysate

IHC 1:50-1:500 IF/ICC 1:50-1:500

WB 1:500-1:1000

Applications

Tested Applications: WB, IP, IF/ICC, IHC, ELISA Cited Applications:

WB, IF, IHC, CoIP
Species Specificity:
human, mouse, rat
Cited Species:

human, rat, mouse

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB: COLO 320 cells, HeLa cells, mouse brain tissue, mouse testis tissue

IP : HeLa cells,

IHC: human breast cancer tissue,

IF/ICC: HepG2 cells,

Background Information

Cleavage stimulation factor 64 kDa subunit is a protein that in humans is encoded by the CSTF2 gene. This gene encodes a nuclear protein with an RRM (RNA recognition motif) domain. The protein is a member of the cleavage stimulation factor (CSTF) complex that is involved in the 3' end cleavage and polyadenylation of pre-mRNAs. Specifically, this protein binds GU-rich elements within the 3'-untranslated region of mRNAs.

Notable Publications

Author	Pubmed ID	Journal	Application
Ziqian Min	36444304	iScience	
Zhimin Chen	35875122	Front Oncol	IHC
Rahul Neupane	35134608	Biochem Biophys Res Commun	IF

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


For technical support and original validation data for this product please contact:

T: 4006900926 E: Proteintech-CN@ptglab.com


W: ptgcn.coi

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




COLO 320 cells were subjected to SDS PAGE followed by western blot with 26825-1-AP (CstF-64 Antibody) at dilution of 1:600 incubated at room temperature for 1.5 hours.



IP result of anti-CstF-64 (IP:26825-1-AP, 4ug; Detection:26825-1-AP 1:300) with HeLa cells lysate 2900ug.



Immunohistochemical analysis of paraffinembedded human breast cancer tissue slide using 26825-1-AP (CstF-64 Antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (4% PFA) fixed HepG2 cells using CstF-64 antibody (26825-1-AP) at dilution of 1:200 and CoraLite® 488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L) (SA00013-2), CL594-phalloidin (red).