## For Research Use Only

## FLVCR1 Polyclonal antibody

Catalog Number: 26841-1-AP



**Basic Information** 

Catalog Number: GenBank Accession Number: 26841-1-AP BC048312 GeneID (NCBI): Size: 500 μg/ml 28982 **UNIPROT ID:** Source: Rabbit Q9Y5Y0

feline leukemia virus subgroup C

cellular receptor 1 Immunogen Catalog Number: AG25220 Calculated MW: 60 kDa

> Observed MW: 60 kDa~70 kDa

Full Name:

**Applications** 

**Tested Applications:** IF/ICC, IHC, IP, WB, ELISA Species Specificity:

Isotype:

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate

buffer pH 6.0

Positive Controls:

WB: Jurkat cells, HepG2 cells, human placenta tissue, K-562 cells

**Purification Method:** 

WB 1:500-1:1000

protein lysate

IHC 1:50-1:500

IF 1:50-1:500

Antigen affinity purification

IP 0.5-4.0 ug for 1.0-3.0 mg of total

Recommended Dilutions:

IP: K-562 cells,

IHC: human breast cancer tissue,

IF: Caco-2 cells,

## **Background Information**

FLVCR1(feline leukemia virus subgroup C receptor 1) has been reported to have a crucial role in a variety of biological processes, including cell proliferation, cell death, apoptosis, oxidative stress response, cellular differentiation, and metabolism (PMID: 29532854). In addition, FLVCR1 can be applied as a clinical prognostic marker for patients with ESCC (PMID: 33842377).

Storage

Storage:


Store at -20°C. Stable for one year after shipment.

Storage Buffer:


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


## **Selected Validation Data**




Immunofluorescent analysis of (-20°C Ethanol) fixed Caco-2 cells using 26841-1-AP (FLVCR1 antibody) at dilution of 1:50 and Alexa Fluor 488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).




Jurkat cells were subjected to SDS PAGE followed by western blot with 26841-1-AP (FLVCR1 Antibody) at dilution of 1:600 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded human breast cancer tissue slide using 26841-1-AP (FLVCR1 antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



human placenta tissue were subjected to SDS PAGE followed by western blot with 26841-1-AP (FLVCR1 Antibody) at dilution of 1:600 incubated at room temperature for 1.5 hours.



IP result of anti-FLVCR1 (IP:26841-1-AP, 4ug; Detection:26841-1-AP 1:500) with K-562 cells lysate 4400 ug.