For Research Use Only

NUDT5 Polyclonal antibody

Catalog Number: 27004-1-AP



Basic Information

Catalog Number: GenBank Accession Number: 27004-1-AP BC000025 GeneID (NCBI): Size: $600 \mu g/ml$ 11164 **UNIPROT ID:** Source: Rabbit Q9UKK9 Full Name:

Antigen affinity purification Recommended Dilutions: WB 1:2000-1:12000 IHC 1:50-1:500 IF 1:200-1:800

Purification Method:

Isotype:

nudix (nucleoside diphosphate linked

moiety X)-type motif 5 Immunogen Catalog Number:

AG25485 Calculated MW:

24 kDa Observed MW: 35 kDa

Applications

Tested Applications: IF/ICC, IHC, WB, ELISA Species Specificity: human, mouse

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB: HeLa cells, LO2 cells, MCF-7 cels, MDA-MB-231

cells, T-47D cells

IHC: mouse liver tissue.

IF: HeLa cells.

Background Information

NUDT5 (NUDIX hydrolase type 5), also called NUDIX5, is a member of the nudix hydrolase family which eliminate toxic nucleotide derivatives from the cell. NUDT5 expression can affect chromosome remodeling, involved in cell adhesion, cancer stem cell maintenance and epithelial to mesenchyme transition in breast cancer cells. In addition, the high expression of NUDT5 is probably involved in the poor prognosis of breast cancer, which could be a prognostic factor and potential target in the diagnosis and treatment of breast cancer (PMID: 33571243). This NUDT5 protein can be detected with a molecular weight of 35 kDa (PMID: 33096144).

Storage

Storage:


Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 27004-1-AP (NUDT5 antibody) at dilution of 1:6000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded mouse liver tissue slide using 27004-1-AP (NUDT5 antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (4% PFA) fixed HeLa cells using NUDT5 antibody (27004-1-AP) at dilution of 1:400 and Coralite® 488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L), CL594-Phalloidin (red).