For Research Use Only

BCRP/ABCG2 Polyclonal antibody

Catalog Number: 27286-1-AP

Featured Product

57 Publications



Basic Information

Catalog Number:

27286-1-AP

BC021281

Concentration:

600 ug/ml

9429

Source:

Rabbit

Q9UNQ0

Isotype:

GenBank Accession Number:

BC021281

GeneID (NCBI):

9429

UNIPROT ID:

Q9UNQ0

Full Name:

ATP-binding cassette, sub-family G

Immunogen Catalog Number: (WHITE), member 2
AG25911 Calculated MW: 70 kDa

Observed MW: 68-72 kDa

Applications

Tested Applications:
WB, IHC, ELISA
Cited Applications:
WB, IHC, IF
Species Specificity:
human, mouse

human, mouse, rat, canine

Cited Species:

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

, IF

Positive Controls:

WB: HepG2 cells, HEK-293 cells, MCF-7 cells, SGC-7901 cells, mouse brain tissue

Purification Method:

WB 1:500-1:2000 IHC 1:50-1:500

Antigen affinity purification

Recommended Dilutions:

IHC: human liver cancer tissue, human breast cancer

tissue

Background Information

BCRP (breast cancer resistance protein) confers a broad spectrum of drug resistance and the expression of BCRP is enhanced in several cancer cell models. It has ATPase activity and belongs to a family of multiple drug resistant proteins. Data also indicated that BCRP might be an early marker for some stem cells.

Notable Publications

Author	Pubmed ID	Journal	Application
Chaoqun Liu	34551797	J Exp Clin Cancer Res	WB
Xingkang Jiang	31672604	Cell Signal	WB
Guoshu Lin	34699754	Eur J Pharmacol	WB

Storage

Storage


Store at -20°C. Stable for one year after shipment.

Storage Buffer


PBS with 0.02% sodium azide and 50% glycerol, pH7.3

Aliquoting is unnecessary for -20°C storage

Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 27286-1-AP (BCRP,ABCG2 antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours.



WB result of BCRP,ABCG2 antibody (27286-1-AP; 1:1000; incubated at room temperature for 1.5 hours) with sh-Control and sh-BCRP,ABCG2 transfected MCF-7 cells.



Immunohistochemical analysis of paraffinembedded human liver cancer tissue slide using 27286-1-AP (BCRP,ABCG2 antibody) at dilution of 1:200 (under 10x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).