

Inhibin alpha Polyclonal antibody

Catalog Number: 27331-1-AP

Basic Information

Catalog Number:

27331-1-AP

Concentration:

230 ug/ml

Source:

Rabbit

Isotype:

IgG

Immunogen Catalog Number:

AG25999

GenBank Accession Number:

BC006391

GeneID (NCBI):

3623

UNIPROT ID:

P05111

Full Name:

inhibin, alpha

Calculated MW:

40 kDa

Observed MW:

40 kDa

Purification Method:

Antigen affinity purification

Recommended Dilutions:

WB 1:2000-1:12000

IHC 1:50-1:500

Applications

Tested Applications:

WB, IHC, ELISA

Species Specificity:

human, mouse, rat

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB : mouse ovary tissue, mouse testis tissue, rat ovary tissue

IHC : mouse ovary tissue,

Background Information

Inhibin, a heterodimeric member of the TGF family, consists of an alpha (α) subunit (coded by INHA) and a beta (β) subunit, which combine to produce either inhibin A ($\alpha\beta$ A) or inhibin B ($\alpha\beta$ B). Inhibin complexes negatively regulate follicle stimulating hormone secretion from the pituitary gland. Inhibins have also been implicated in regulating numerous cellular processes including cell proliferation, apoptosis, immune response and hormone secretion.

Storage

Storage:


Store at -20°C. Stable for one year after shipment.

Storage Buffer:


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 27331-1-AP (Inhibin alpha antibody) at dilution of 1:6000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffin-embedded mouse ovary tissue slide using 27331-1-AP (Inhibin alpha antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffin-embedded mouse ovary tissue slide using 27331-1-AP (Inhibin alpha antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).