For Research Use Only

CCL3/MIP-1 alpha Polyclonal antibody

Catalog Number:27441-1-AP



Purification Method:

WB: 1:500-1:2000

Antigen affinity purification

Recommended Dilutions:

Basic Information

Catalog Number: 27441-1-AP Concentration:

300 ug/ml Source: Rabbit

Immunogen Catalog Number: AG26764

Tested Applications: WB, ELISA

Species Specificity:

human

Isotype:

GenBank Accession Number:

BC071834 GeneID (NCBI): 6348

UNIPROT ID: P10147 Full Name:

chemokine (C-C motif) ligand 3

Calculated MW: 92 aa, 10 kDa

Observed MW: 10 kDa

> Positive Controls: WB: THP-1 cells,

Background Information

Chemokine (C-C motif) ligand 3 (CCL3), also known as MIP-1 α , belongs to the family of chemokines. CCL3 has been found in the central nervous system and its cognate receptors, CCR1 and CCR5, have been reported to be expressed by astrocytes, microglia and neurons. CCL3 and its receptors, CCR1 and CCR5, also contribute to the $development\ of\ bone\ disease\ in\ multiple\ myeloma\ by\ supporting\ tumor\ growth\ and\ regulating\ osteoclast$ differentiation. CCL3 is also associated with the regulation of cell growth, angiogenesis, and metastasis of different tumors such as melanoma, renal cell carcinoma, and colorectal cancer. Moreover, CCL3 enhances cell migration and metastasis by up-regulating matrix metalloproteinase-2 (MMP)-2 expression in chondrosarcoma cells.

Storage

Applications


Storage:

Store at -20°C. Stable for one year after shipment. Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol, pH7.3

Aliquoting is unnecessary for -20°C storage

Selected Validation Data



PMA, LPS, and Brefeldin A treated THP-1 cells were subjected to SDS PAGE followed by western blot with 27441-1-AP (MIP 1 alpha/CCL3 antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours.