For Research Use Only

CD155/PVR Polyclonal antibody

Catalog Number:27486-1-AP Featured Product


2 Publications



Basic Information	Catalog Number: 27486-1-AP	GenBank Accession Num BC015542		tion Method: affinity purification	
	Concentration:	GenelD (NCBI):		Recommended Dilutions: WB 1:500-1:3000 IHC 1:500-1:2000	
	300 ug/ml Source:	5817 UNIPROT ID:			
	Rabbit	P15151			
	lsotype: IgG	Full Name: poliovirus receptor			
	Immunogen Catalog Number: AG26657	Calculated MW: 45 kDa			
		Observed MW: 70 kDa			
Applications	Tested Applications:	Positive Controls:			
	WB, IHC, ELISA Cited Applications:	WB : HT-1080 cells, A549 cells, HUVEC cells			
	WB	IHC : human cervical cancer tissue,			
	Species Specificity: human				
	Cited Species: human				
	Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0				
Background Information	CD155, also known as PVR, is a type I transmembrane glycoprotein in the immunoglobulin superfamily. It contains three extracellular immunoglobulin-like domains, D1-D3, of which D1 is recognized by the virus. Mature human CD155 consists of a 323 amino acid extracellular domain with one N-terminal V-type and two C2-type Ig-like domains, a 24 amino acid transmembrane segment, and a 50 amino acid cytoplasmic tail. CD155 is thought to play a role in adhesion by interaction with the ECM component vitronectin as well as a role in NK killing of tumor cells. CD155 binds to two receptors of NK cells, CD96 and CD226, and accumulates at cell-cell contact sites, leading to the formation of mature immune synapses between NK cells and target cells. CD155 serves as the entry receptor for poliovirus and thereby mediates human susceptibility to poliovirus infection.				
Notable Publications	Author	Pubmed ID Journal		Application	
	Qi Zhang	36435292 J Nutr Bi	ochem	WB	
	Jiaojiao Yu	39525583 Acta Pha	arm Sin B		


This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data




250 kDa→ 150 kDa→ 100 kDa→ 70 kDa→ 40 kDa→ 30 kDa→ 20 kDa→

WB result of CD155/PVR antibody (27486-1-AP; 1:1000; room temperature for 1.5 hours) with wildtype and CD155/PVR knockout A549 cells. HT-1080 cells were subjected to SDS PAGE followed by western blot with 27486-1-AP (CD155/PVR antibody) at dilution of 1:1500 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded human cervical cancer tissue slide using 27486-1-AP (CD155/PVR antibody) at dilution of 1:1000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human cervical cancer tissue slide using 27486-1-AP (CD155/PVR antibody) at dilution of 1:1000 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).