### For Research Use Only

# JAB1 Polyclonal antibody

Catalog Number: 27511-1-AP 7 Publications



**Basic Information** 

Catalog Number: GenBank Accession Number: 27511-1-AP BC001187 Concentration: GeneID (NCBI): 350  $\mu$  g/ml 10987 **UNIPROT ID:** Source: Rabbit Q92905 Full Name: Isotype:

COP9 constitutive photomorphogenic homolog subunit 5 (Arabidopsis)

Immunogen Catalog Number:

AG25950

Calculated MW: 37 kDa Observed MW:

35-38 kDa

**Applications** 

**Tested Applications:** 

WB, IHC, IF/ICC, FC (Intra), ELISA

Cited Applications: WB, IHC, IF, CoIP Species Specificity: human, mouse, rat **Cited Species:** human, mouse

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB: HEK-293 cells, HeLa cells, NIH/3T3 cells, PC-12

**Purification Method:** 

WB 1:500-1:4000 IHC 1:250-1:1000

IF/ICC 1:200-1:800

Antigen affinity purification

Recommended Dilutions:

IHC: mouse liver tissue, rat liver tissue

IF/ICC : HeLa cells,

## **Background Information**

### Notable Publications

Author	Pubmed ID	Journal	Application
Huilin Zhang	34247597	Cancer Cell Int	WB
Xin Yin	34993131	Front Oncol	WB
Ping Zhu	35971127	Cell Commun Signal	WB,IHC,IF

Storage


Storage:

Store at -20°C. Stable for one year after shipment.


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


## Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 27511-1-AP (JAB1 antibody) at dilution of 1:3000 incubated at room temperature for 1.5 hours.




Immunofluorescent analysis of (4% PFA) fixed HeLa cells using JAB1 antibody (27511-1-AP) at dilution of 1:400 and CoraLite® 488-Conjugated Goat Anti-Rabbit IgG(H+L), CL594-Phalloidin (red).



Immunofluorescent analysis of (-20°C Methanol) fixed HeLa cells using JAB1 antibody (27511-1-AP) at dilution of 1:400 and CoraLite®488-Conjugated Goat Anti-Rabbit  $\lg G(H+L)$ .



1X10^6 HEK-293 cells were intracellularly stained with 0.4 ug Anti-Human JAB1 (27511-1-AP) and CoraLite® 488-Conjugated Goat Anti-Rabbit IgG(H+L) at dilution 1:1000 (red), or 0.4 ug Isotype Control. Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C).



Immunohistochemical analysis of paraffinembedded mouse liver tissue slide using 27511-1-AP (JAB1 antibody) at dilution of 1:500 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).