

For Research Use Only

Alpha Taxilin Polyclonal antibody

Catalog Number: 27558-1-AP

Featured Product

1 Publications



Basic Information

Catalog Number:

27558-1-AP

Size:

600 ug/ml

Source:

Rabbit

Isotype:

IgG

Immunogen Catalog Number:

AG23001

GenBank Accession Number:

BC103823

GeneID (NCBI):

200081

UNIPROT ID:

P40222

Full Name:

taxilin alpha

Calculated MW:

546 aa, 62 kDa

Observed MW:

75 kDa

Purification Method:

Antigen affinity purification

Recommended Dilutions:

WB 1:500-1:2000

IHC 1:500-1:2000

Applications

Tested Applications:

WB, IHC, ELISA

Cited Applications:

WB, IF

Species Specificity:

human

Cited Species:

human

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB : HEK-293 cells, HeLa cells, HepG2 cells, Jurkat cells

IHC : human ovary cancer tissue,

Background Information

Alpha-taxilin is a member of the taxilin family which consist of at least three members: alpha-, beta- and gamma-taxilins. Alpha-taxilin was identified as a novel binding partner of the syntaxin family, which is involved in intracellular vesicle traffic. Alpha-taxilin is ubiquitously expressed. It plays an essential role for release of HBV-DNA containing particles. Alpha-taxilin encompasses 546 aa and has a calculated molecular weight of 62 kDa. It migrates on SDS-PAGE with an apparent molecular weight of 75 kDa. (PMID: 12558796; 23816704)

Notable Publications

Author	Pubmed ID	Journal	Application
Dandan Ma	35119360	Elife	WB,IF

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

For technical support and original validation data for this product please contact:


T: 4006900926

E: Proteintech-CN@ptglab.com


W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



Various cells were subjected to SDS PAGE followed by western blot with 27558-1-AP (TXLNA antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffin-embedded human ovary cancer tissue slide using 27558-1-AP (Alpha Taxilin antibody) at dilution of 1:1000 (under 20x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).