## For Research Use Only

## TMEM119 Polyclonal antibody

Catalog Number: 27585-1-AP 20 Publications



**Purification Method:** 

IHC 1:400-1:1600 IF-P 1:200-1:800

Antigen affinity purification

Recommended Dilutions:

**Basic Information** 

Catalog Number: GenBank Accession Number: 27585-1-AP NM\_181724 GeneID (NCBI): Concentration: 500 ug/ml 338773 **UNIPROT ID:** Source: Rabbit Q4V9L6 Full Name: Isotype:

transmembrane protein 119

Calculated MW: Immunogen Catalog Number: AG26269 29 kDa

Observed MW: 45 kDa

**Applications** 

**Tested Applications:** IHC, IF-P, FC (Intra), ELISA

Cited Applications: WB, IHC, IF Species Specificity:

human, mouse **Cited Species:** human, mouse

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

IHC: mouse brain tissue, IF-P: mouse brain tissue, mouse liver tissue

**Background Information** 

TMEM119 immunohistochemistry might provide a useful tool for investigating the biology and pathology of human microglia(PMID: 26250788). Microglia can be detected clearly using Catalog#27585-1-AP.

## **Notable Publications**

Author	Pubmed ID	Journal	Application
Eilam Yeini	33771989	Nat Commun	FC
Elise Vankriekelsvenne	35246882	Glia	IF
Christian F Guerrero-Juarez	35687691	Sci Adv	IHC

Storage


Store at -20°C. Stable for one year after shipment.

Storage Buffer:


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


## Selected Validation Data



Immunohistochemical analysis of paraffinembedded mouse brain tissue slide using 27585-1-AP (TMEM119 antibody) at dilution of 1:800 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9:0).



Immunofluorescent analysis of (4% PFA) fixed paraffin-embedded mouse brain tissue using TMEM119 antibody (27585-1-AP) at dilution of 1:400 and Coralite® 488-Conjugated Goat Anti-Rabbit IgG(H+L) (SA00013-2). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



1x10^6 HEK-293 cells were intracellularly stained with 0.4 ug TMEM119 Polyclonal antibody (27585-1-AP) and CoraLite® 488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L) (SA00013-2)(red), or 0.4 ug Isotype Control (blue). Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C).