For Research Use Only

Granzyme K Polyclonal antibody

Catalog Number: 27894-1-AP 1 Publications



Purification Method:

IHC 1:250-1:1000 IF/ICC 1:50-1:500

Antigen affinity purification

Recommended Dilutions:

Basic Information

Catalog Number: GenBank Accession Number: 27894-1-AP BC035802 GeneID (NCBI): Concentration: 900 ug/ml 3003 **UNIPROT ID:** Source: Rabbit P49863 Full Name: Isotype:

granzyme K (granzyme 3; NK tryptase

Immunogen Catalog Number:

AG27281 Calculated MW: 29 kDa

Applications

Tested Applications: IHC, IF/ICC, ELISA Cited Applications:

Species Specificity:

human **Cited Species:**

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate

buffer pH 6.0

Positive Controls:

IHC: human tonsillitis tissue,

IF/ICC: NK-92 cells,

Background Information

Granzymes are a family of serine proteases stored in granules inside cytotoxic cells of the immune system. There are five human granzymes (granzyme A (GrA), GrB, GrH, GrK and GrM) currently identified, whereas mice have ten known granzymes (GrA-G, GrK, GrM and GrN) (PMID:14499263). Human GrK was first discovered in 1988 after purification from human peripheral blood mononuclear cells. GrK is expressed by cytotoxic T lymphocytes, natural killer T cells (NKT), γ δ T cells and CD56bright+ NK cells.

Notable Publications

Author	Pubmed ID	Journal	Application
Maolin Mu	37766977	iScience	IF

Storage

Store at -20°C. Stable for one year after shipment.


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

Selected Validation Data




Immunohistochemical analysis of paraffinembedded human tonsillitis tissue slide using 27894-1-AP (GZMK antibody) at dilution of 1:500 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human tonsillitis tissue slide using 27894-1-AP (GZMK antibody) at dilution of 1:500 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human tonsillitis tissue slide using 27894-1-AP (GZMK antibody) at dilution of 1:500 (under 4x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (4% PFA) fixed NK-92 cells using Granzyme K antibody (27894-1-AP) at dilution of 1:200 and CoraLite®488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L) (SA00013-2), CL594-Phalloidin (red).