For Research Use Only

TSG101 Polyclonal antibody

Catalog Number: 28283-1-AP

Featured Product

189 Publications



Basic Information

Catalog Number: 28283-1-AP

Size: 700 μg/ml Source: Rabbit

Isotype:

Immunogen Catalog Number:

AG28569

GenBank Accession Number:

BC002487 GeneID (NCBI): 7251 **UNIPROT ID:**

Full Name: tumor susceptibility gene 101

Calculated MW: 44 kDa

Q99816

Observed MW: 44 kDa

Purification Method:

Antigen affinity purification

Recommended Dilutions: WB 1:2000-1:16000

IP 0.5-4.0 ug for 1.0-3.0 mg of total

protein lysate IHC 1:50-1:500

Applications

Tested Applications: IHC, IP, WB, ELISA Cited Applications: WB, IP, IF, IHC, CoIP Species Specificity: Human, Mouse

Cited Species:

human, goat, chicken, rat, mouse

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB: HeLa cells, Jurkat cells, K-562 cells, NIH/3T3 cells

IP: HeLa cells.

IHC: human lung cancer tissue, human colon cancer

tissue

Background Information

TSG101(Tumor susceptibility gene 101 protein) is essential for endosomal sorting, membrane receptor degradation and the final stages of cytokinesis. It plays a crucial role for cell proliferation and cell survival. TSG101 has been $identified as a candidate tumor suppressor gene \ and \ belongs \ to \ the \ ubiquitin-conjugating \ enzyme \ family. \ TSG101 \ is$ a marker for exosome. This protein has 2 isoforms produced by alternative splicing with the molecular mass of 44 and 32 kDa.

Notable Publications

Author	Pubmed ID	Journal	Application
Xinyan Zhou	36171212	Nat Commun	WB
Hai Zhou	36206599	Biochem Biophys Res Commun	WB
Jingming Zhuang	36161709	Andrology	WB

Storage


Storage:

Store at -20°C. Stable for one year after shipment.

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 28283-1-AP (TSG101 antibody) at dilution of 1:8000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded human lung cancer tissue slide using 28283-1-AP (TSG101 antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



IP result of anti-TSG101 (IP:28283-1-AP, 4ug; Detection:28283-1-AP 1:2000) with HeLa cells lysate 1720 ug.