For Research Use Only

TYRO3 Polyclonal antibody

Catalog Number: 28513-1-AP

1 Publications



Purification Method:

WB 1:500-1:2000 IHC 1:50-1:500

Antigen affinity purification

Recommended Dilutions:

Basic Information

Applications

Catalog Number: 28513-1-AP

Size: 800 μ g/ml Source: Rabbit

Immunogen Catalog Number:

AG29540

Observed MW: 140 kDa

GenBank Accession Number:

TYRO3 protein tyrosine kinase

BC049368

7301

Q06418 Full Name:

97 kDa

GeneID (NCBI):

UNIPROT ID:

Calculated MW:

Tested Applications:

IHC, WB, ELISA

Cited Applications:

IF. FC

Isotype:

Species Specificity: human, mouse, rat Cited Species: human

TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate

Positive Controls:

WB: mouse brain tissue, rat brain tissue

IHC: human colon cancer tissue, mouse brain tissue

Note-IHC: suggested antigen retrieval with

buffer pH 6.0

Background Information

TYRO3 has a structure includes a cytoplasmic domain and an extracellular ligand binding region. And ligand binding at the cell surface induces dimerization and autophosphorylation of TYRO3 on its intracellular domain that provides docking sites for downstream signaling molecules. TYRO3 is associated with many physiological processes including cell survival, migration and differentiation. It has been reported that TYRO3 can be expressed in various regions of the mammalian central nervous system. 28513-1-AP antibody recognizes the 97 kDa and 140 kDa protein which might be the glycosylated form similar to the papers.((PMID: 8873131, 23354874, 21539887)

Notable Publications

Author	Pubmed ID	Journal	Application
Quang Duy Trinh	36230987	Cells	IF,FC


Storage

Store at -20°C. Stable for one year after shipment.

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 28513-1-AP (TYRO 3 antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded human colon cancer tissue slide using 28513-1-AP (TYRO3 antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).