

For Research Use Only

Phospho-STK11/LKB1 (Thr189) Polyclonal antibody



Catalog Number: 28965-1-AP

1 Publications

Basic Information

Catalog Number:

28965-1-AP

Size:

300 µg/ml

Source:

Rabbit

Isotype:

IgG

GenBank Accession Number:

BC007981

GeneID (NCBI):

6794

UNIPROT ID:

Q15831

Full Name:

serine/threonine kinase 11

Calculated MW:

49 kDa

Observed MW:

50-55 kDa

Purification Method:

Antigen affinity purification

Recommended Dilutions:

WB 1:5000-1:50000

Applications

Tested Applications:

WB, ELISA

Cited Applications:

WB

Species Specificity:

Human, mouse

Cited Species:

human

Positive Controls:

WB : Calyculin A treated PC-3 cells, UV treated

NIH/3T3 cells

Background Information

Liver kinase 1 (LKB1 also known as STK11) is a tumor suppressor gene that is inactivated by bi-allelic mutation in non-small cell lung cancer (NSCLC), malignant melanoma and cervical cancer. LKB1 protein has a central kinase domain, two N-terminal nuclear leading sequences, and a C-terminal regulatory motif. The protein also contains a CAAX motif at C-terminal end and can be farnesylated. The formation of an LKB1/Strad/MO25 complex is essential for LKB1's kinase activity, and there are at least 13 known substrates of LKB1, which includes AMPKs, BRSKs, and MARKs. LKB1 is the major kinase that phosphorylates the AMPK activation loop in conditions of energy stress. (PMID: 25679014, PMID: 19629071)

Notable Publications

Author	Pubmed ID	Journal	Application
Yuhao Wang	35406631	Cells	WB

Storage

Storage:

Store at -20°C.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

For technical support and original validation data for this product please contact:


T: 4006900926

E: Proteintech-CN@ptglab.com


W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



Non-treated PC-3 and Calyculin A treated PC-3 cells were subjected to SDS PAGE followed by western blot with 28965-1-AP (Phospho-STK11/LKB1 (Thr189) antibody) at dilution of 1:10000 incubated at room temperature for 1 hours.



Non-treated and UV treated NIH/3T3 cells were subjected to SDS PAGE followed by western blot with 28965-1-AP (Phospho-STK11/LKB1 (Thr189) antibody) at dilution of 1:1000 incubated at 4°C overnight.