For Research Use Only

APAF1 Polyclonal antibody

Catalog Number:29022-1-AP 2 Publications




| Basic Information | Catalog Number: 29022-1-AP | GenBank Accession Number: BC 136532 | | Purification Method: Antigen affinity purification | |
|------------------------|--|---|--|---|--|
| | Size: 500 µg/ml | GenelD (NCBI): 317 | | Recommended Dilutions: WB 1:1000-1:6000 | |
| | Source: Rabbit | UNIPROT ID: 014727 | | | |
| | lsotype: IgG | | | | |
| | Immunogen Catalog Number: AG30606 | 1 Calculated MW: 1248 aa, 142 kDa | | | |
| | | Observed MW: 130-140 kDa | | | |
| Applications | Tested Applications: WB, ELISA | | Positive Controls: WB : COLO 320 cells, | | |
| | Cited Applications: WB | | | | |
| | Species Specificity: Human | | | | |
| | Cited Species: human, rat | | | | |
| Background Information | APAF1, also named as Apoptotic protease-activating factor 1 or KIAAO413, is a 1248 amino acid protein, which contains one CARD domain, contains one NB-ARC domain and Contains fifteen WD repeats. APAF1 localizes in the cytoplasm and is widely expressed in many tissues. Highest levels of expression is in adult spleen, peripheral blood leukocytes, in fetal brain, kidney and lung. Oligomeric APAF1 mediates the cytochrome c-dependent autocatalytic activation of pro-caspase-9 (Apaf-3), leading to the activation of caspase-3 and apoptosis. | | | | |
| Notable Publications | Author | Pubmed ID Journ | al | Application | |
| | Yujie Zhong | 36501024 Nutrie | nts | WB | |
| | Yulun Wu | 38724006 J Adv | Res | WB | |
| Storage | Storage: Store at -20°C. Storage Buffer: | d 50% glycerol pH 7.3. | | | |

For technical support and original validation data for this product please contact:T: 4006900926E: Proteintech-CN@ptglab.comW: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



COLO 320 cells were subjected to SDS PAGE followed by western blot with 29022-1-AP (APAF1 antibody) at dilution of 1:3000 incubated at room temperature for 1.5 hours.