For Research Use Only

Phospho-RICTOR (Thr1135) Polyclonal antibody

proteintech®
Antibodies | ELISA kits | Proteins
www.ptglab.com

Purification Method:

WB 1:500-1:2000

Antigen affinity purification

Recommended Dilutions:

Catalog Number:29117-1-AP

Basic Information Cata

Catalog Number: 29117-1-AP Size:

450 μ g/ml Source: Rabbit Isotype:

IgG

GenBank Accession Number:

BC029608 GeneID (NCBI): 253260 UNIPROT ID: Q6R327

rapamycin-insensitive companion of

mTOR

Full Name:

Calculated MW: 192 kDa Observed MW: 192-200 kDa

Applications

Tested Applications: WB, ELISA

Species Specificity:

Human

Positive Controls:

WB: PDGF treated PC-3 cells,

Background Information

Rictor is the core component of the mammalian target of rapamycin complex 2 (mTORC2), and loss of this protein leads to an immunodeficiency. RICTOR is regulated by phosphorylation at threonine 1135 (Thr1135) by S6K, downstream of PI3K, which inactivates mTORC2 and therefore inhibits AKT phosphorylation at Ser473. (PMID: 26356562, PMID: 28821013)

Storage

Storage:


Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

Selected Validation Data



Non-treated PC-3 and PDGF (HZ-1215) treated PC-3 cells were subjected to SDS PAGE followed by western blot with 29117-1-AP (Phospho-RICTOR (Thr1135) antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours. The membrane was stripped and re-blotted with Vinculin antibody as loading control.