For Research Use Only

nNOS Polyclonal antibody

Catalog Number:29231-1-AP

2 Publications



Basic Information

 Catalog Number:
 GenBank Accession Number:

 29231-1-AP
 NM_000620

 Size:
 GeneID (NCBI):

 700 μg/ml
 4842

 Source:
 UNIPROT ID:

 Rabbit
 P29475

Isotype: Full Name:

IgG nitric oxide synthase 1 (neuronal)
Immunogen Catalog Number: Calculated MW:
AG28910 161 kDa

161 kDa Observed MW: 160 kDa Purification Method: Antigen affinity purification Recommended Dilutions: WB 1:1000-1:4000 IHC 1:250-1:1000

Applications

Tested Applications: FC, IF-P, IHC, WB, ELISA

Cited Applications:

Species Specificity: Mouse, Rat, Human Cited Species: rat

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0 Positive Controls:

WB: mouse brain tissue, rat brain tissue

IF 1:50-1:500

IHC: mouse brain tissue,
IF: mouse brain tissue,

Background Information

nNOS belongs to the NOS family. nNOS produces nitric oxide (NO) which is a messenger molecule with diverse functions throughout the body. In the brain and peripheral nervous system, NO displays many properties of a neurotransmitter. NO is a reactive free radical which acts as a biologic mediator in several processes, including neurotransmission and antimicrobial and antitumoral activities. NO is synthesized from L-arginine by nitric oxide synthases. nNOS is a nitric oxide synthase which is highly expressed in skeletal muscle. Genetic variations in nNOS gene are associated with susceptibility to infantile hypertrophic pyloric stenosis type 1 (IHPS1). The antibody can recognize isoform 1,2,4 of nNOS.

Notable Publications

Author	Pubmed ID	Journal	Application
Qingfeng Fu	38105187	J Nanobiotechnology	IF
Yunlong Ge	37172816	Life Sci	IF

Storage

Storage


Store at -20°C. Stable for one year after shipment.

Storage Buffer:


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 29231-1-AP (nNOS antibody) at dilution of 1:2000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded mouse brain tissue slide using 29231-1-AP (nNOS antibody) at dilution of 1:500 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (4% PFA) fixed mouse brain tissue using nNOS antibody (29231-1-AP) at dilution of 1:200 and CoraLite® 488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).



1X10^6 HeLa cells were intracellularly stained with 0.4 ug Anti-Human nNOS (29231-1-AP) and CoraLite® 488-Conjugated AffiniPure Goat Anti-Rabbit I gG(H+L) at dilution 1:1000 (red), or 0.4 ug Isotype Control. Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C).