For Research Use Only

SCPEP1 Polyclonal antibody

Catalog Number: 29781-1-AP



Purification Method:

WB 1:1000-1:4000 IHC 1:50-1:500

Antigen affinity purification

Recommended Dilutions:

Basic Information

Catalog Number:

29781-1-AP

BC072405

Size:

GeneID (NCBI):

500 µg/ml

59342

Source:

Rabbit

Q9HB40

Isotype:

GeneID (NCBI):

Full Name:

IgG serine carboxypeptidase 1

Immunogen Catalog Number:Calculated MW:AG31396452 aa, 51 kDaObserved MW:

33-51 kDa

Applications

Tested Applications: IHC, WB, ELISA
Species Specificity:

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate

buffer pH 6.0

Human, mouse

Background Information

SCPEP1 encodes retinoid-inducible serine carboxypeptidase (PMID:12975309). SCPEP1 and Cathepsin A play roles in regulation of vasoconstriction via inactivation of endothelin-1 (PubMed:24586188). The protein is widely expressed during mouse embryogenesis by immunohistochemical (PubMed:16461364). Scpep1 is proteolytically cleaved to a mature enzyme which is smaller than 51 kDa (PMID:16461364).

Positive Controls:

IHC: mouse embryo tissue,

WB: A431 cells,

Storage

Storage

Store at -20°C. Stable for one year after shipment.

Storage Buffer:


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


Selected Validation Data



A431 cells were subjected to SDS PAGE followed by western blot with 29781-1-AP (SCPEP1 antibody) at dilution of 1:2000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded mouse embryo tissue slide using 29781-1-AP (SCPEP1 antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded mouse embryo tissue slide using 29781-1-AP (SCPEP1 antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).