

For Research Use Only

MUC13 Polyclonal antibody

Catalog Number: 29832-1-AP



Basic Information

Catalog Number: 29832-1-AP	GenBank Accession Number: NM_033049	Purification Method: Antigen affinity purification
Size: 500 µg/ml	GeneID (NCBI): 56667	Recommended Dilutions: WB 1:500-1:3000 IHC 1:500-1:2000
Source: Rabbit	UNIPROT ID: Q9H3R2	
Isotype: IgG	Full Name: mucin 13, cell surface associated	
Immunogen Catalog Number: AG31090	Calculated MW: 55 kDa	
	Observed MW: 70-120 kDa	

Applications

Tested Applications:
IHC, WB, ELISA

Species Specificity:
Human, Mouse, Rat

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB: HCT 116 cells, HEK-293 cells, HT-29 cells, SW480 cells, mouse kidney tissue, rat kidney tissue

IHC: human colon cancer tissue, human colon tissue, human stomach cancer tissue

Background Information

Mucins (MUC) are highly glycosylated proteins that are abundantly expressed in mammalian epithelial cells. Mucin 13 (MUC13) is a member of the transmembrane glycoprotein mucins which is normally expressed in the large intestine, trachea, kidney, small intestine, and gastric epithelium (PMID: 22027689). MUC13 is involved in the tumorigenesis of multiple malignancies, including pancreatic cancer, colorectal cancer, renal cancer and lung cancer (PMID: 22027689; PMID: 31427737; PMID: 28205224; PMID: 34966453).

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

For technical support and original validation data for this product please contact:


T: 4006900926

E: Proteintech-CN@ptglab.com


W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 29832-1-AP (MUC13 antibody) at dilution of 1:1500 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffin-embedded human colon cancer tissue slide using 29832-1-AP (MUC13 antibody) at dilution of 1:1000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffin-embedded human colon cancer tissue slide using 29832-1-AP (MUC13 antibody) at dilution of 1:1000 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).