

For Research Use Only

STK24 Polyclonal antibody

Catalog Number: 29846-1-AP



Basic Information

Catalog Number: 29846-1-AP	GenBank Accession Number: NM_003576	Purification Method: Antigen affinity purification
Size: 750 µg/ml	GeneID (NCBI): 8428	Recommended Dilutions: WB 1:1000-1:8000 IHC 1:50-1:500
Source: Rabbit	UNIPROT ID: Q9Y6E0	
Isotype: IgG	Full Name: serine/threonine kinase 24 (STE20 homolog, yeast)	
Immunogen Catalog Number: AG31519	Calculated MW: 49KD	
	Observed MW: 50 kDa	

Applications

Tested Applications:

IHC, WB, ELISA

Species Specificity:

Human, mouse, rat

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB: HEK-293 cells, mouse lung tissue, HeLa cells, Jurkat cells, rat lung tissue, rat skin tissue, rat spleen tissue

IHC: mouse testis tissue,

Background Information

Serine/threonine-protein kinase 24 (STK24), also named MST3, belonging to GCK subfamily of STE20-like kinases, acts on both serine and threonine residues and promotes apoptosis in response to stress stimuli and caspase activation (PubMed: 10644707, PMID:12107159). STK24 and STK25 operate in the same cardiovascular development pathway with programmed cell death 10 (CCM3) (PMID: 20332113). It regulates axon outgrowth in forebrain neurons (PubMed: 17114295).

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

For technical support and original validation data for this product please contact:


T: 4006900926

E: Proteintech-CN@ptglab.com


W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 29846-1-AP (STK24 antibody) at dilution of 1:4000 incubated at room temperature for 1.5 hours.



Various lysates were subjected to SDS PAGE followed by western blot with 29846-1-AP (STK24 antibody) at dilution of 1:4000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffin-embedded mouse testis tissue slide using 29846-1-AP (STK24 antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffin-embedded mouse testis tissue slide using 29846-1-AP (STK24 antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).