## For Research Use Only Kindlin 2 Polyclonal antibody

Catalog Number:29911-1-AP




Basic Information	Catalog Number: 29911-1-AP	GenBank Accession Number: BC017327	Purification Method: Antigen affinity purification		
	Concentration: 800 ug/ml Source: Rabbit Isotype: IgG Immunogen Catalog Number: AG31795	GeneID (NCBI): 10979 UNIPROT ID: Q96AC1	Recommended Dilutions: WB 1:2000-1:12000 IHC 1:50-1:500		
				Full Name: fermitin family homolog 2 (Drosophila) Calculated MW: 680 aa, 78 kDa	
		Observed MW: 78 kDa			
		Applications	Tested Applications: I WB, IHC, ELISA		Controls:
			Species Specificity: human	WB : A549 cells, HEK-293 cells, HeLa cells IHC : human lung cancer tissue, human normal color	
Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0					
Background Information	FERMT2, also named as KIND2, MIG2, PLEKHC1, MIG-2 and Kindlin-2, belongs to the kindlin family. There are three FERMT2 isoforms that participate in the connection between extracellular matrix (ECM) adhesion sites and the actin cytoskeleton and also in the orchestration of actin assembly and cell shape modulation. FERMT2 recruits migfilin (FBLP1) protein to cell-ECM focal adhesion sites. Variable expression in human cancers and mesenchymal cancer invasion are now linked with FERMT2, which may plays important role in carcinormas development.				
Storage	Storage: Store at -20°C. Stable for one year Storage Buffer: PBS with 0.02% sodium azide and Aliquoting is unnecessary for -20°	50% glycerol pH 7.3.			


For technical support and original validation data for this product please contact:T: 4006900926E: Proteintech-CN@ptglab.comW: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


## Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 29911-1-AP (Kindlin 2 antibody) at dilution of 1:6000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded human normal colon slide using 29911-1-AP (Kindlin 2 antibody) at dilution of 1:1200 (under 20x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human normal colon slide using 29911-1-AP (Kindlin 2 antibody) at dilution of 1:1200 (under 20x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human lung cancer tissue slide using 29911-1-AP (Kindlin 2 antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).