

For Research Use Only

EIF2B5 Polyclonal antibody

Catalog Number: 29935-1-AP



Basic Information

Catalog Number: 29935-1-AP	GenBank Accession Number: NM_003907.2	Purification Method: Antigen affinity purification
Size: 600 µg/ml	GeneID (NCBI): 8893	Recommended Dilutions: WB 1:2000-1:10000 IHC 1:200-1:800 IF 1:200-1:800
Source: Rabbit	UNIPROT ID: Q13144	
Isotype: IgG	Full Name: eukaryotic translation initiation factor 2B, subunit 5 epsilon, 82kDa	
Immunogen Catalog Number: AG32175	Calculated MW: 80 kDa	
	Observed MW: 65-80 kDa	

Applications

Tested Applications:
IF/ICC, IHC, WB, ELISA

Species Specificity:
Human, mouse, rat

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB: A549 cells, HEK-293T cells, HT-29 cells, HeLa cells, Jurkat cells, NIH/3T3 cells, mouse brain tissue, rat brain tissue

IHC: human colon cancer tissue,

IF: MCF-7 cells,

Background Information

EIF2B5 encodes translation initiation factor eIF-2B subunit epsilon protein (PMID 8688466). EIF2B5 mutations compromise the induction of GFAP-expressing astrocytes in VWM (vanishing white matter) leukodystrophy (PMID:15723074, PMID:15776425). The upregulation of EIF2B5 is associated with cancer such as human pulmonary adenocarcinoma cell and breast cancer (PMID:24366584, PMID:24979338). EIF2B5 also has 65kDa truncated protein isoform (PMID:28961236).

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

For technical support and original validation data for this product please contact:


T: 4006900926

E: Proteintech-CN@ptglab.com


W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 29935-1-AP (EIF2B5 antibody) at dilution of 1:5000 incubated at room temperature for 1.5 hours.




Immunofluorescent analysis of (-20°C Methanol) fixed MCF-7 cells using EIF2B5 antibody (29935-1-AP) at dilution of 1:400 and CoraLite® 488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).



Immunofluorescent analysis of (-20°C Methanol) fixed MCF-7 cells using EIF2B5 antibody (29935-1-AP) at dilution of 1:400 and CoraLite® 488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).



Immunohistochemical analysis of paraffin-embedded human colon cancer tissue slide using 29935-1-AP (EIF2B5 antibody) at dilution of 1:400 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffin-embedded human colon cancer tissue slide using 29935-1-AP (EIF2B5 antibody) at dilution of 1:400 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).