For Research Use Only

SLC7A2 Polyclonal antibody

Catalog Number: 30232-1-AP 1 Publications



Basic Information

Catalog Number: GenBank Accession Number: 30232-1-AP BC 104905 GeneID (NCBI): Concentration: 550 ug/ml 6542 **UNIPROT ID:** Source:

Rabbit P52569 Full Name: Isotype: solute carrier family 7 (cationic

Immunogen Catalog Number:

AG31207

amino acid transporter, y+ system),

member 2 Calculated MW:

698 aa, 76 kDa Observed MW: 76 kDa

Purification Method: Antigen affinity purification

Recommended Dilutions: WB: 1:500-1:1000 IHC: 1:50-1:500

Applications

Tested Applications: WB, IHC, ELISA Species Specificity:

human, mouse, rat

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB: mouse brain tissue, rat brain tissue IHC: human stomach cancer tissue,

Background Information

Solute carrier family 7 member 2 (SLC7A2), also known as CAT2, is a member of the solute carrier superfamily. It functions as a cationic amino acid transporter, which can transport cationic amino acids (arginine, lysine and ornithine) into the cytosol and regulate inflammation (PMID: 35152203). It has been shown that lower SLC7A2 expression is associated with worse prognosis of ovarian cancer and hepatocellular carcinoma (PMID: 34108444; 32647070), and SLC7A2 deficiency in inflammatory bowel tissues increases the risk of inflammation-associated colon tumorigenesis (PMID: 30202097)

Notable Publications

Author	Pubmed ID	Journal	Application
Qiang Tang	39932193	Cell Rep	

Storage


Storage:

Store at -20°C. Stable for one year after shipment.


PBS with 0.02% sodium azide and 50% glycerol, pH7.3

Aliquoting is unnecessary for -20°C storage

Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 30232-1-AP (SLC7A2 antibody) at dilution of 1:800 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded human stomach cancer tissue slide using 30232-1-AP (SLC7A2 antibody) at dilution of 1:160 (under 20x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).