

TAPBP Polyclonal antibody

Catalog Number: 30500-1-AP

Basic Information

Catalog Number: 30500-1-AP	GenBank Accession Number: NM_003190	Purification Method: Antigen affinity purification
Size: 750 µg/ml	GeneID (NCBI): 6892	Recommended Dilutions: WB 1:500-1:3000
Source: Rabbit	UNIPROT ID: O15533	IHC 1:400-1:1600
Isotype: IgG	Full Name: TAP binding protein (tapasin)	IF/ICC 1:200-1:800
Immunogen Catalog Number: AG30885	Calculated MW: 48 kDa	
	Observed MW: 48 kDa	

Applications

Tested Applications: IF/ICC, IHC, WB, ELISA	Positive Controls:
Species Specificity: Human, mouse	WB : HeLa cells, MDA-MB-231 cells, THP-1 cells
Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0	IHC : mouse colon tissue,
	IF/ICC : HeLa cells,

Background Information

TAPBP, also known as tapasin, is a V-C1 (variable-constant) immunoglobulin superfamily (IgSF) molecule. It is involved in the association of MHC class I with transporter associated with antigen processing (TAP) and in the assembly of MHC class I with peptide (PMID: 11920573).

Storage

Storage:
Store at -20°C. Stable for one year after shipment.
Storage Buffer:
PBS with 0.02% sodium azide and 50% glycerol pH 7.3.
Aliquoting is unnecessary for -20°C storage

For technical support and original validation data for this product please contact:


T: 4006900926

E: Proteintech-CN@ptglab.com


W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 30500-1-AP (TAPBP antibody) at dilution of 1:1500 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffin-embedded mouse colon tissue slide using 30500-1-AP (TAPBP antibody) at dilution of 1:800 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffin-embedded mouse colon tissue slide using 30500-1-AP (TAPBP antibody) at dilution of 1:800 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (-20°C Methanol) fixed HeLa cells using TAPBP antibody (30500-1-AP) at dilution of 1:400 and CoraLite®488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).