For Research Use Only

PSMA5 Polyclonal antibody Catalog Number: 30580-1-AP





Basic Information	Catalog Number: 30580-1-AP	GenBank Accession Number: NM_002790	Purification Method: Antigen affinity purification			
	Size: 550 ug/ml Source: Rabbit Isotype: IgG Immunogen Catalog Number: AG30703	GeneID (NCBI): 5686 UNIPROT ID: P28066	Recommended Dilutions: WB 1:500-1:3000 IHC 1:50-1:500 IF/ICC 1:200-1:800			
				Full Name: proteasome (prosome, macropain) subunit, alpha type, 5 Calculated MW: 26 kDa		
		Observed MW: 28 kDa				
		Applications	Tested Applications: WB, IHC, IF/ICC, ELISA Species Specificity: human, mouse		Positive Controls:	
					WB : HeLa cells, HCT 116 cells, HepG2 cells	
IHC : mouse testis tissue,						
Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0			C : HeLa cells,			
Background Information	Proteasome subunit alpha type-5(PSMA5) is a component of the 20S core proteasome complex involved in the proteolytic degradation of most intracellular proteins. This complex plays numerous essential roles within the cell by associating with different regulatory particles. It binds to two 19S regulatory particles(RP) to form the 26S proteasome, an ATP-dependent multisubunit protease that degrades polyubiquitinated proteins into small peptides. (PMID: 26661102)					
Storage	Storage: Store at -20°C. Stable for one year after shipment. Storage Buffer: PBS with 0.02% sodium azide and 50% glycerol pH 7.3. Aliquoting is unnecessary for -20°C storage					

For technical support and original validation data for this product please contact: T: 4006900926 E: Proteintech-CN@ptglab.com W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data





Various lysates were subjected to SDS PAGE followed by western blot with 30580-1-AP (PSMA5 antibody) at dilution of 1:1500 incubated at room temperature for 1.5 hours.

Immunohistochemical analysis of paraffinembedded mouse testis tissue slide using 30580-1-AP (PSMA5 antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (4% PFA) fixed HeLa cells using PSMA5 antibody (30580-1-AP) at dilution of 1:400 and Coralite®488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L), CL594phalloidin (red).