

For Research Use Only

Integrin alpha-8 Polyclonal antibody

Catalog Number: 30714-1-AP



Basic Information

Catalog Number: 30714-1-AP	GenBank Accession Number: NM_003638	Purification Method: Antigen affinity purification
Size: 400 µg/ml	GeneID (NCBI): 8516	Recommended Dilutions: WB 1:500-1:2000 IHC 1:50-1:500 IF 1:50-1:500
Source: Rabbit	UNIPROT ID: P53708	
Isotype: IgG	Full Name: integrin, alpha 8	
Immunogen Catalog Number: AG33507	Calculated MW: 117 kDa Observed MW: 140 kDa	

Applications

Tested Applications:

IF-P, IHC, WB, ELISA

Species Specificity:

Human, Mouse, Rat

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB : mouse lung tissue, rat lung tissue, rat spleen tissue

IHC : mouse lung tissue,

IF : mouse lung tissue,

Background Information

Integrins are cell adhesion receptors that are heterodimers composed of non-covalently associated α and β subunits. Integrin alpha-8 is a single-pass type I membrane protein that forms a heterodimer with integrin beta-1 to serve as a receptor for RGD-containing matrix molecules (fibronectin, vitronectin, tenascin C, osteopontin, and nephronectin) (PMID: 33000355). Integrin alpha-8 beta-1 plays a critical role in epithelial-mesenchymal interactions and functions in the genesis of kidney and probably of other organs (PMID: 9054500; 19769957). The apparent molecular weight of integrin alpha-8 is larger than the calculated molecular weight of 117 kDa, possibly due to glycosylation (PMID: 7768999).

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

For technical support and original validation data for this product please contact:


T: 4006900926

E: Proteintech-CN@ptglab.com


W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 30714-1-AP (Integrin alpha-8 antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours.




Immunohistochemical analysis of paraffin-embedded mouse lung tissue slide using 30714-1-AP (Integrin alpha-8 antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffin-embedded mouse lung tissue slide using 30714-1-AP (Integrin alpha-8 antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (4% PFA) fixed mouse lung tissue using Integrin alpha-8 antibody (30714-1-AP) at dilution of 1:200 and CoraLite®488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).



Immunofluorescent analysis of (4% PFA) fixed mouse lung tissue using Integrin alpha-8 antibody (30714-1-AP) at dilution of 1:200 and CoraLite®488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).