## For Research Use Only

## CD117/c-Kit Polyclonal antibody

Catalog Number: 31337-1-AP



**Basic Information** 

Catalog Number: 31337-1-AP Size:

450 µg/ml Source: Rabbit Isotype:

GenBank Accession Number:

NM\_001122733.1 GeneID (NCBI): 16590 **UNIPROT ID:** P05532-1 Full Name:

kit oncogene Calculated MW: 109 kDa Observed MW: 140 kDa

**Purification Method:** Antigen affinity purification Recommended Dilutions: WB 1:2000-1:10000

**Applications** 

**Tested Applications:** 

WB, ELISA

Species Specificity:

mouse

Positive Controls:

WB: MC/9 cells, mouse testis tissue

## **Background Information**

CD117, also known as c-Kit and SCFR, is a transmembrane protein with tyrosine kinase activity encoded by the oncogene c-kit (PMID: 2448137). It is a member of the type III receptor tyrosine kinase family, which also includes CSF-1R, PDGFR  $\beta$  , PDGFR  $\alpha$  , and FLT3 (PMID: 29518044). CD117 is expressed on hematopoietic stem cells and progenitor cells, mast cells, and is also found in a wide range of non-haemopoietic cell types (including  $melanocytes, germ\ cells, astrocytes, renal\ tubules, breast\ glandular\ epithelial\ cells, sweat\ glands, and\ interstitial$ cells of Cajal) (PMID: 10582338; 23073628). CD117 plays an important role in early haemopoiesis. It is also involved in pigmentation, fertility, gut movement, and some aspects of the nervous system (PMID: 23073628).

Storage


Storage:

Store at -20°C. Stable for one year after shipment. Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

## Selected Validation Data



MC/9 cells were subjected to SDS PAGE followed by western blot with 31337-1-AP (CD117/c-Kit antibody) at dilution of 1:5000 incubated at room temperature for 1.5 hours.