For Research Use Only

CD9 Polyclonal antibody

Catalog Number: 31514-1-AP



Basic Information

Catalog Number: 31514-1-AP

450 ug/ml

Size:

Source:

Rabbit Isotype: GenBank Accession Number:

NM_001769.4 GeneID (NCBI):

UNIPROT ID: P21926

Full Name: CD9 molecule Calculated MW:

25 kDa Observed MW: 23 kDa

Purification Method:

Antigen affinity Purification

Recommended Dilutions: WB 1:1000-1:4000 IHC 1:50-1:500 IF/ICC 1:50-1:500

Applications

Tested Applications: WB, IHC, IF/ICC, ELISA Species Specificity:

human

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate

buffer pH 6.0

Positive Controls:

WB: A431 cells, HeLa cells, LO2 cells

IHC: human intrahepatic cholangiocarcinoma tissue,

IF/ICC: MCF-7 cells,

Background Information

CD9, also known as Tspan-29, p24 or MIC3, is a member of the tetraspanin superfamily (PMID: 1879540). It is expressed on a large variety of hematopoietic and non-hematopoietic cells, such as stromal cells, megakaryocytes, platelets, B and T lymphocytes, dendritic cells, endothelial cells, mast cells, eosinophils, and basophils (PMID: 30356731). CD9 interacts with the integrin family and other membrane proteins, and is involved in cell adhesion, cell motility and tumor metastasis (PMID: 8478605; 21428940; 25805926). Expression of CD9 enhances membrane fusion between muscle cells and supports myotube maintenance (PMID:10459022). On oocytes, CD9 is hypothesized to play a role in fertilization of mammals (PMID: 25536312).

Storage


Storage:

Store at -20°C. Stable for one year after shipment. Storage Buffer

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 31514-1-AP (CD9 antibody) at dilution of 1:2000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded human intrahepatic cholangiocarcinoma tissue slide using 31514-1-AP (CD9 antibody) at dilution of 1:200 (under 20x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (-20°C Methanol) fixed MCF-7 cells using CD9 antibody (31514-1-AP) at dilution of 1:200 and Multi-rAb Coralite ® Plus 488-Goat Anti-Rabbit Recombinant Secondary Antibody (H+L) (RGAR002).