For Research Use Only

EIF3F Polyclonal antibody Catalog Number:31630-1-AP


Antibodies | ELISA kits | Proteins WWW.ptglab.com

Size: 600 ug/ml Source:	GenelD (NCBI): 8665	Recommended Dilutions:
Source:		WB 1:5000-1:50000
Rabbit	UNIPROT ID: O00303	
Isotype: IgG Immunogen Catalog Number: AG34849	Full Name: eukaryotic translation initiation factor 3, subunit F Calculated MW: 38 kDa	
	Tested Applications:	Positive Controls: WB : HeLa cells, Jurkat cells, mouse liver tissue, rat brain tissue
Species Specificity: human, mouse, rat		
EIF3F (eukaryotic translation initiation factor 3 subunit F) is a protein that plays an important role in eukaryotic cells and is an integral part of the translation initiation factor 3(Eif3) complex. EIF3 is a complex of at least 10 distinct subunits and is the largest translation initiation factor in eukaryotes.		
Storage Buffer:		
	IgG Immunogen Catalog Number: AG34849 Tested Applications: WB, ELISA Species Specificity: human, mouse, rat EIF3F (eukaryotic translation initic cells and is an integral part of the distinct subunits and is the larges Storage: Storage Storage Storage Buffer: PBS with 0.02% sodium azide and	IgG eukaryotic translation initiation Immunogen Catalog Number: factor 3, subunit F AG34849 Calculated MW: 38 kDa Observed MW: 40-45 kDa WB: HeLa Species Specificity: brain tissu human, mouse, rat WB: HeLa EIF3F (eukaryotic translation initiation factor 3 subunit F) is a protein th cells and is an integral part of the translation initiation factor in eukary Storage: Storage: Storage: Storage: Storage: Storage: Storage: Storage: Storage:

For technical support and original validation data for this product please contact:T: 4006900926E: Proteintech-CN@ptglab.comW: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 31630-1-AP (EIF3F antibody) at dilution of 1:15000 incubated at room temperature for 1.5 hours.