

For Research Use Only

# F8A2 Polyclonal antibody, PBS Only

Catalog Number: 32696-1-PBS



## Basic Information

Catalog Number:

32696-1-PBS

Source:

Rabbit

Isotype:

IgG

Immunogen Catalog Number:

AG38529

GenBank Accession Number:

NM\_012151.3

GeneID (NCBI):

474383

UNIPROT ID:

P23610

Full Name:

coagulation factor VIII-associated  
(intronic transcript) 2

Calculated MW:

39kDa, 371aa

Observed MW:

38 kDa

Purification Method:

Antigen affinity Purification

## Applications

Tested Applications:

WB, IF/ICC, Indirect ELISA

Species Specificity:

human, mouse, rat

## Background Information

F8A2 (Coagulation Factor VIII Associated 2) is a protein associated with coagulation factor VIII, which is widely expressed in a variety of cell types, localized mainly in the cytoplasm and nucleus, and also co-localized with Huntington's protein (HTT). Although its specific function is not fully defined, F8A2 may play an important role in intracellular and vesicular transport. In addition, F8A2 co-localizes with ubiquitin in neuronal cells and may be involved in the pathological process of neurodegenerative diseases.

## Storage

Storage:

Store at -80°C.

The product is shipped with ice packs. Upon receipt, store it immediately at -80°C

Storage Buffer:

PBS only, pH7.3

For technical support and original validation data for this product please contact:


T: 4006900926

E: [Proteintech-CN@ptglab.com](mailto:Proteintech-CN@ptglab.com)


W: [ptgcn.com](http://ptgcn.com)

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


## Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 32696-1-AP (F8A2 antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 32696-1-PBS in a different storage buffer formulation.



Various lysates were subjected to SDS PAGE followed by western blot with 32696-1-AP (F8A2 antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 32696-1-PBS in a different storage buffer formulation.



Immunofluorescent analysis of (4% PFA) fixed HeLa cells using F8A2 antibody (32696-1-AP) at dilution of 1:200 and CoraLite®488-Conjugated Goat Anti-Rabbit IgG(H+L) (SA00013-2). This data was developed using the same antibody clone with 32696-1-PBS in a different storage buffer formulation.