

For Research Use Only

CD93 Polyclonal antibody

Catalog Number: 33313-1-AP



Basic Information

Catalog Number: 33313-1-AP	GenBank Accession Number: NM_010740.3	Purification Method: Antigen affinity Purification
Concentration: 350 ug/ml	GeneID (NCBI): 17064	Recommended Dilutions: WB: 1:500-1:2000 IHC: 1:200-1:800
Source: Rabbit	UNIPROT ID: O89103	
Isotype: IgG	Full Name: CD93 antigen	
Immunogen Catalog Number: EG3116	Calculated MW: 69 kDa	
	Observed MW: 120 kDa, 90 kDa	

Applications

Tested Applications:

WB, IHC, ELISA

Species Specificity:

mouse, rat

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB : bEnd.3 cells, mouse spleen tissue, rat spleen tissue

IHC : mouse spleen tissue,

Background Information

CD93, also known as C1qR or C1qR(p), is a single-pass type I transmembrane glycoprotein and a member of the group 14 of the C-type lectin-like domain (CTLD) superfamily, which also includes endosialin/CD248, thrombomodulin, and CLEC14A (PMID: 31287944). CD93 consists of a C-type lectin-like domain, five EGF-like repeats, a mucin-like domain, a transmembrane domain and a cytoplasmic domain (PMID: 28912033). CD93 is mainly expressed on endothelial cells and has been reported to be expressed by neurons and various cells of the hematopoietic system, including monocytes, neutrophils, B cells, natural killer cells, platelets and hematopoietic stem cells (PMID: 37443812). CD93 plays a role in various physiological processes including angiogenesis, inflammation, and cell adhesion (PMID: 31287944).

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol, pH7.3

Aliquoting is unnecessary for -20°C storage

For technical support and original validation data for this product please contact:


T: 4006900926

E: Proteintech-CN@ptglab.com


W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 33313-1-AP (CD93 antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours.



Various lysates were subjected to SDS PAGE followed by western blot with 33313-1-AP (CD93 antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffin-embedded mouse spleen tissue slide using 33313-1-AP (CD93 antibody) at dilution of 1:400 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffin-embedded mouse spleen tissue slide using 33313-1-AP (CD93 antibody) at dilution of 1:400 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).