

For Research Use Only

# CCDC63 Polyclonal antibody

Catalog Number:33600-1-AP



## Basic Information

Catalog Number:

33600-1-AP

Source:

Rabbit

Isotype:

IgG

Immunogen Catalog Number:

AG39252

GenBank Accession Number:

NM\_152591.2

GeneID (NCBI):

160762

UNIPROT ID:

Q8NA47

Full Name:

coiled-coil domain containing 63

Calculated MW:

66kDa, 563aa

Observed MW:

65 kDa

Purification Method:

Antigen affinity Purification

Recommended Dilutions:

WB: 1:500-1:2000

IP: 0.5-4.0 ug for 1.0-3.0 mg of total protein lysate

## Applications

Tested Applications:

WB, IP, ELISA

Species Specificity:

human, mouse, rat

Positive Controls:

WB : mouse testis tissue, rat testis tissue

IP : mouse testis tissue,

## Background Information

CCDC63 (Coiled-Coil Domain Containing 63) is a highly conserved centrosomal satellite protein whose main functions are closely related to cell mitosis and ciliogenesis. This protein directly interacts with PCM1, a key organizer of centrosomal satellites, through its coiled-coil domain and is recruited to the pericentriolar material. As an important component of centrosomal satellites, CCDC63 is involved in regulating the normal assembly of the centrosome, microtubule anchoring, and proper orientation of the spindle, thereby ensuring the fidelity of chromosome segregation and genomic stability. Therefore, CCDC63 is one of the core molecules that maintain the accuracy of cell division and the function of organelles.

## Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol, pH7.3

Aliquoting is unnecessary for -20°C storage

For technical support and original validation data for this product please contact:


T: 4006900926

E: [Proteintech-CN@ptglab.com](mailto:Proteintech-CN@ptglab.com)


W: [ptgcn.com](http://ptgcn.com)

**This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.**

## Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 33600-1-AP (CCDC63 antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours.



IP result of anti-CCDC63 (IP:33600-1-AP, 4ug; Detection:33600-1-AP 1:600) with mouse testis tissue lysate 1680 ug.