For Research Use Only

GFP tag Polyclonal antibody Catalog Number: 50430-2-AP 771 Publications




Basic Information	Catalog Number: 50430-2-AP	GenBank A M62653	ccession Number:	Purification Method: Antigen affinity purification	
	Concentration: 1000 ug/ml	GenelD (NCBI):		Recommended Dilutions:	
		Full Name:		WB 1:1000-1:4000	
	Source: Rabbit	Calculated 26 kDa	MW:	IP 0.5-4.0 ug for 1.0-3.0 mg of total protein lysate IF-P 1:50-1:500	
	lsotype: IgG			IF/ICC 1:50-1:500	
	Immunogen Catalog Number: AG2128				
Applications	Tested Applications:	·			
	WB, IF/ICC, IF-P, IP, ELISA Cited Applications: WB, IHC, IF, IP, CoIP, ChIP, RIP, IP-MS Species Specificity:		WB: recom	WB : recombinant protein, Transfected HEK-293 cells	
			IP : Transfe	IP : Transfected HEK-293T cells,	
			IF-P : mous	IF-P : mouse brain tissue,	
	aequorea victoria, recombinant p	orotein	IF/ICC : Tra	ansfected HEK-293 cells,	
	Cited Species: mouse, pig, yeast				
Background Information	Green Fluorescent Proteins (GFPs) encompass a diverse range of proteins carrying a green chromophore, originatin from various species and forming different protein lineages. Wildtype GFP consists of 238 amino acid residues (26 kDa). GFP was first identified in the jellyfish Aequorea victoria. It emits green light with a peak wavelength of 509 nm upon excitation by blue light at 395 nm. When fused with other proteins, GFP serves as a versatile reporter protein e.g. for quantifying expression levels or facilitates visualization of subcellular localization through fluorescence microscopy. This antibody is a rabbit polyclonal antibody, generated against the full-length eGFP protein. It exhibits reactivity towards variants of Aequorea victoria GFP, including S65T-GFP, RS-GFP, YFP, CFP, and eGFP.				
	fluorescence microscopy. This an protein. It exhibits reactivity tow				
Notable Publications	fluorescence microscopy. This an protein. It exhibits reactivity tow				
Notable Publications	fluorescence microscopy. This an protein. It exhibits reactivity tow eGFP.	ards variants of <i>i</i>	Aequorea victoria GFP,	including S65T-GFP, RS-GFP, YFP, CFP, a	
Notable Publications	fluorescence microscopy. This an protein. It exhibits reactivity tow eGFP.	ards variants of <i>J</i> Pubmed ID	Aequorea victoria GFP, Journal	including S65T-GFP, RS-GFP, YFP, CFP, a	
Notable Publications	fluorescence microscopy. This an protein. It exhibits reactivity tow eGFP. Author Bin Li	ards variants of <i>J</i> Pubmed ID 28962583	Aequorea victoria GFP, Journal Stem Cell Res The	including S65T-GFP, RS-GFP, YFP, CFP, a	


For technical support and original validation data for this product please contact: E: Proteintech-CN@ptglab.com T: 4006900926 W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




Western blot of eGFP-tagged fusion protein with anti-eGFP-tag (50430-2-AP) at various dilutions.




IP result of anti-GFP tag (IP:50430-2-AP, 4ug; Detection:50430-2-AP 1:10000) with Transfected HEK-293T cells lysate 400 ug.



Transfected HEK-293 cells were subjected to SDS PAGE followed by western blot with 50430-2-AP (GFP tag Antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours.



Immunofluorescent analysis of (4% PFA) fixed paraffin-embedded mouse brain tissue using GFP tag antibody (50430-2-AP) at dilution of 1:200 and CoraLite®594-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L) (SA00013-2). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (-20°C Ethanol) fixed Transfected HEK-293 cells using GFP tag antibody (50430-2-AP) at dilution of 1:200 and CoraLite®594-Conjugated AffiniPure Goat Anti-Mouse IgG(H+L).