For Research Use Only

SEC61B Polyclonal antibody

Catalog Number:51020-2-AP 5 Publications




Basic Information	Catalog Number: GenBank Accession Number 51020-2-AP BC001734		on Number:	: Purification Method: Antigen affinity purification	
	Size:	GenelD (NCBI):		Recommended Dilutions:	
	600 µg/ml	urce: UNIPROT ID: obit P60468 type: Full Name:		WB 1:2000-1:16000 IHC 1:300-1:1200 IF-P 1:50-1:500 IF/ICC 1:50-1:500	
	Source: Rabbit				
	lsotype: IgG				
Applications	Tested Applications:	Positive Controls:		ontrols:	
	WB, IHC, IF/ICC, IF-P, ELISA Cited Applications: WB, IF Species Specificity: human, mouse, rat Cited Species: human, mouse		cells, Hep0	431 cells, BxPC-3 cells, HEK-293T cells, HeL HepG2 cells, 3T3-L1 cells, C2C12 cells, RAW cells, C6 cells	
				IHC : mouse pancreas tissue, mouse liver tissue	
			IF-P: mous	IF-P : mouse pancreas tissue,	
			IF/ICC : He	IF/ICC : HepG2 cells,	
	Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0				
De alemana de la Carra de la	The heteromeric SEC61 complex is composed of alpha, beta and gamma subunits. Oligomers of the SEC61 comp form a transmembrane channel where proteins are translocated across and integrated into the ER membrane (PM 10212142). SEC61B is the beta subunit of the SEC61 complex. It has been reported that SEC61B facilitates cotranslational protein transport and interacts with the signal peptidase during translocation (PMID: 9585408).				
Background Information			signal peptidase	•	
		t and interacts with the	signal peptidase	•	
	cotranslational protein transpor	t and interacts with the Pubmed ID		during translocation (PMID: 9585408).	
	cotranslational protein transpor	t and interacts with the Pubmed ID 31367000	ournal	during translocation (PMID: 9585408). Application	
Background Information	cotranslational protein transpor Author Rocío Pérez-González	Pubmed ID 3 31367000 5 34453725 1	ournal ici Rep	during translocation (PMID: 9585408). Application WB	


For technical support and original validation data for this product please contact:T: 4006900926E: Proteintech-CN@ptglab.comW: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 51020-2-AP (SEC618 antibody) at dilution of 1:8000 incubated at room temperature for 1.5 hours.




Immunohistochemical analysis of paraffinembedded mouse pancreas tissue slide using 51020-2-AP (SEC61B antibody) at dilution of 1:600 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).




Immunohistochemical analysis of paraffinembedded mouse pancreas tissue slide using 51020-2-AP (SEC61B antibody) at dilution of 1:600 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (4% PFA) fixed mouse pancreas tissue using SEC61B antibody (51020-2-AP) at dilution of 1:200 and CoraLite®488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).



Immunofluorescent analysis of (4% PFA) fixed mouse pancreas tissue using SEC61B antibody (51020-2-AP) at dilution of 1:200 and CoraLite®488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).



Immunofluorescent analysis of (4% PFA) fixed HepG2 cells using 51020-2-AP (SEC61B antibody) at dilution of 1:50 and CoraLite488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).