

For Research Use Only

GH1 Polyclonal antibody

Catalog Number: 55243-1-AP **2 Publications**



Basic Information

Catalog Number:

55243-1-AP

Size:

1000 µg/ml

Source:

Rabbit

Isotype:

IgG

GenBank Accession Number:

NM_000515

GeneID (NCBI):

2688

UNIPROT ID:

P01241

Full Name:

GH1

Calculated MW:

25 kDa

Observed MW:

22 kDa

Purification Method:

Antigen affinity purification

Recommended Dilutions:

WB 1:500-1:2000

IHC 1:50-1:500

Applications

Tested Applications:

IHC, WB, ELISA

Cited Applications:

IF, WB

Species Specificity:

human

Cited Species:

mouse, rat

Positive Controls:

WB : human placenta tissue,

IHC : human pituitary tissue, human pituitary adenoma tissue

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Background Information

GH1, also named as GH and GH-N, belongs to the somatotropin/prolactin family. GH1 plays an important role in growth control. Its major role in stimulating body growth is to stimulate the liver and other tissues to secrete IGF-1. It stimulates both the differentiation and proliferation of myoblasts. It also stimulates amino acid uptake and protein synthesis in muscle and other tissues. This antibody has no cross reaction to CSH1.

Notable Publications

Author	Pubmed ID	Journal	Application
Jian Mao	31666193	Metabolism	IF
Joseph Walters	35537288	Biochem Biophys Res Commun	WB,IF

Storage

Storage:

Store at -20°C.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

For technical support and original validation data for this product please contact:

T: 4006900926

E: Proteintech-CN@ptglab.com


W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data



human placenta tissue were subjected to SDS PAGE followed by western blot with 55243-1-AP (GH1 antibody) at dilution of 1:800 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffin-embedded human pituitary tissue slide using 55243-1-AP (GH1 antibody at dilution of 1:200) (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffin-embedded human pituitary tissue slide using 55243-1-AP (GH1 antibody at dilution of 1:200) (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).