For Research Use Only JMJD3 Polyclonal antibody

Catalog Number:55354-1-AP 6 Publications




Basic Information	Catalog Number: 55354-1-AP	GenBank Access NM_001080424	ion Number:	Purification Method: Antigen affinity purification	
	<mark>Size:</mark> 350 μg/ml	GenelD (NCBI): 23135		Recommended Dilutions: WB 1:500-1:2400	
	Source: Rabbit	UNIPROT ID: O 15054			
	Isotype: Full Name: IgG jumonji domain containing 3, histone lysine demethylase				
		Calculated MW: 177 kDa			
	Observed MW: 177 kDa				
Applications	Tested Applications:		Positive Controls:		
	WB, ELISA WB : A549 cells, HeLa cells Cited Applications: WB				
	Species Specificity: human				
	Cited Species: human, mouse, rat				
Background Information	JMJD3, also known as KDM6B, is a 1643 amino acid protein, which belongs to the UTX family. JMJD3 is a Histone demethylase that specifically demethylates 'Lys-27' of histone H3, thereby playing a central role in histone code (PubMed:17851529,). JMJD3 demethylates trimethylated and dimethylated H3 'Lys-27', so it Plays a central role in regulation of posterior development, by regulating HOX gene expression (PubMed:17851529) Histone demethylases are epigenetic actors with a crucial role in cancer by acting as suppressors of tumors or as oncogenes. JMJD3 and UTX (ubiquitously transcribed tetratricopeptide repeat, X chromosome) are transcription activators, being specific H3K27me3 demethylases. JMJD3 is involved in many cellular process such as development, differentiation, senescence and aging by p16, p53 and RB pathways and finally inflammation. Depending on cancer type, JMJD3 expression is increased (prostate and breast cancers, melanoma, gliomas, renal cell carcinoma or decreased (lung, liver, pancreatic, colon and colorectal cancers. This role in carcinogenesis has allowed the development of "epidrugs" to modulate JMJD3 expression (PMID: 29805743).				
Notable Publications	Author	Pubmed ID	Journal	Application	
	Zhen Xiao	30896884	Oncol Rep	WB	
	Lijie Tian	28587848	Gene	WB	
	Hong Chen	30516825	J Physiol	WB	
Storage	Storage: Store at -20°C. Stable for or Storage Buffer:	ne year after shipment. Ide and 50% glycerol pH 7.3			

For technical support and original validation data for this product please contact:T: 4006900926E: Proteintech-CN@ptglab.comW: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 55354-1-AP (JMJD3 antibody) at dilution of 1:1200 incubated at room temperature for 1.5 hours.