## For Research Use Only

## TRIM33 Polyclonal antibody Catalog Number:55374-1-AP Featured Product 4 P







Basic Information	Catalog Number: 55374-1-AP	GenBank Accession Number: NM_015906		Purification Method: Antigen affinity purification Recommended Dilutions: WB 1:500-1:1000 IHC 1:50-1:500
	Concentration:     GeneID (NCBI):       500 μ g/ml     51592			
	Source: Rabbit	UNIPROT ID: Q9UPN9		
	Isotype: IgG	Full Name: tripartite mo	Full Name: tripartite motif-containing 33	
		Calculated M 122 kDa	MW:	
		Observed MW: 140-150 kDa		
Applications	Tested Applications: WB, IHC, ELISA			
	WB, INC, LEDA WB : COLO 320 cells, MCF-7 cells, PC-3 cells   Cited Applications: IHC : human lung cancer tissue,   WB, IHC, IF, IP IHC : human lung cancer tissue,			
	Species Specificity: human			
	Cited Species: human			
	Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0			
Background Information	TRIM33, also named as KIAA1113, RFG7 and TIF1G, belongs to the TRIM/RBCC family. It acts as an E3 ubiquitin- protein ligase. TRIM33 promotes SMAD4 ubiquitination, nuclear exclusion and degradation via the ubiquitin proteasome pathway. It may act as a transcriptional repressor. It inhibits the transcriptional response to TGF- beta/BMP signaling cascade. TRIM33 plays a role in the control of cell proliferation. Its association with SMAD2 and SMAD3, TRIM33 stimulates erythroid differentiation of hematopoietic stem/progenitor. Defects in TRIM33 are a cause of thyroid papillary carcinoma (TPC). This antibody is specific to TRIM33. The calculated molecular weight of TRIM33 is 122kDa, but the molecular weight of detected is about 140-150 kDa as the same as the result from the paper(PMID:25639486;26592194).			
Notable Publications	Author	Pubmed ID	Journal	Application
	Orhi Barroso-Gomila	34795231	Nat Commun	WB,IF
	Fang Wang	35929141	Technol Cancer Res Tre	eat WB,IHC
	Ji Liu	40274778	Cell Death Dis	WB
Storage	Storage: Store at -20°C. Stable for or Storage Buffer: PBS with 0.02% sodium azi Aliquoting is unnecessary f	de and 50% glycerol, p	H7.3	

For technical support and original validation data for this product please contact: E: Proteintech-CN@ptglab.com T: 4006900926 W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

## Selected Validation Data





COLO 320 cells were subjected to SDS PAGE followed by western blot with 55374-1-AP (TRIM33 antibody) at dilution of 1:500 incubated at room temperature for 1.5 hours. Immunohistochemical analysis of paraffinembedded human lung cancer tissue slide using 55374-1-AP (TRIM33 antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).