For Research Use Only

GRP94 Monoclonal antibody

Catalog Number:60012-1-lg 7 Publications




Basic Information	Catalog Number: 60012-1-lg	GenBank Accession BC009195	on Number:	Purification Method: Caprylic acid/ammonium sulfate	
	Size:	GeneID (NCBI):		precipitation	
	1000 µg/ml	7184		CloneNo.: 1H10B7	
	Source: UNIPROT ID: Mouse P14625			Recommended Dilutions:	
	Isotype:	Full Name:		WB 1:500-1:2000	
	IgM	heat shock protein 90kDa beta (Grp94), member 1 Calculated MW: 96 kDa		IHC 1:50-1:500 IF/ICC 1:50-1:500	
	Immunogen Catalog Number:				
	AG1439				
		Observed MW: 95 kDa			
Applications	Tested Applications: WB, IF, IHC, ELISA	Positive Co			
	Cited Applications:			VB : Human heart, human heart tissue, human liver issue, human lung tissue, NIH/3T3 cells, RAW 264.7 ells, ROS1728 cells	
	WB, ColP				
	Species Specificity: human, mouse, rat		IHC : huma tissue	n lung cancer tissue, human breast cance	
	Cited Species: human, mouse, rat		IF/ICC : He	IF/ICC : HepG2 cells, Hela cells, MCF-7 cells	
	Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0				
Background Information	buffer pH 6.0 HSP90 proteins are highly conser play important roles in folding m stress. HSP90B1 (GP96 or GRP94) chaperone to mediate the UPR ar to MHC class I molecules of dend	ewly synthesized prote is an endoplasmic reti- id a master chaperone iritic cells and other and also involved in many	eins or stabilizing culum paralogue for Toll-like recep tigen-presenting	and refolding denatured proteins after of the cytosolic HSP90. As a major ER otors (TLRs), HSP90b1 chaperones peptide cells, as well as facilitating the assembly	
Background Information	buffer pH 6.0 HSP90 proteins are highly conser play important roles in folding nu stress. HSP90B1 (GP96 or GRP94) chaperone to mediate the UPR ar to MHC class I molecules of dend immunoglobulin. The protein is a	ewly synthesized prote is an endoplasmic retin id a master chaperone f ritic cells and other an also involved in many of HSP90b1.	eins or stabilizing culum paralogue for Toll-like recep tigen-presenting	e .	
	buffer pH 6.0 HSP90 proteins are highly conser play important roles in folding m stress. HSP90B1 (GP96 or GRP94) chaperone to mediate the UPR ar to MHC class I molecules of dend immunoglobulin. The protein is a N-terminal region of full-length H	ewly synthesized prote is an endoplasmic retion of a master chaperone is initic cells and other and also involved in many of HSP90b1. Pubmed ID	eins or stabilizing culum paralogue for Toll-like recep tigen-presenting other bio-process	and refolding denatured proteins after of the cytosolic HSP90. As a major ER otors (TLRs), HSP90b1 chaperones peptide cells, as well as facilitating the assembly es. This antibody was generated against t	
	buffer pH 6.0 HSP90 proteins are highly conser play important roles in folding no stress. HSP90B1 (GP96 or GRP94) chaperone to mediate the UPR ar to MHC class I molecules of dend immunoglobulin. The protein is a N-terminal region of full-length H	ewly synthesized prote is an endoplasmic retind a master chaperone for ritic cells and other and also involved in many HSP90b1. Pubmed ID Ja 30971945 F	eins or stabilizing culum paralogue for Toll-like recep tigen-presenting other bio-process	and refolding denatured proteins after of the cytosolic HSP90. As a major ER otors (TLRs), HSP90b1 chaperones peptide cells, as well as facilitating the assembly es. This antibody was generated against t Application	

For technical support and original validation data for this product please contact:T: 4006900926E: Proteintech-CN@ptglab.comW: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




Immunofluorescent analysis of (4% PFA) fixed HepG2 cells using 60012-1-1g (GRP94 antibody) at dilution of 1:200 and Coralite488-Conjugated Goat Anti-Mouse IgG(H+L).



human heart tissue were subjected to SDS PAGE followed by western blot with 60012-1-lg (HSP90B1 antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded human lung cancer tissue slide using 60012-1-1g (GRP94 Antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human lung cancer tissue slide using 60012-1-lg (GRP94 Antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).