For Research Use Only

## LGALS3BP Monoclonal antibody, PBS Only



Catalog Number: 60066-1-PBS

**Basic Information** 

Catalog Number:

GenBank Accession Number:

**Purification Method:** 

60066-1-PBS

BC002403

Protein A purification

Size:

GeneID (NCBI):

CloneNo.:

1mg/ml Source:

3959

2D8E11

Mouse Isotype:

**UNIPROT ID:** Q08380 Full Name:

lgG2b

lectin, galactoside-binding, soluble, 3

binding protein Immunogen Catalog Number:

AG0294

Calculated MW:

585 aa, 65 kDa

Observed MW: 90 kDa

**Applications** 

**Tested Applications:** 

WB, IP, IF, IHC, ELISA

Species Specificity:

human

## **Background Information**

The galectins are a family of beta-galactoside-binding proteins implicated in modulating cell-cell and cell-matrix interactions. Galectin-3-binding protein (LGALS3BP, also known as 90K or Mac-2 BP) is a secreted glycoprotein which binds galectin-3, galectin-1, beta1 integrins, collagens and fibronectin (PMID: 8034587; 8024581; 11146440; 9501082). It has been implicated in tumor metastatic processes, as well as in other cell adhesion and immune  $functions. \ Levels \ of \ LGALS 3BP \ have \ been \ found \ elevated \ in \ the \ serum \ of \ patients \ with \ cancer \ and \ in \ those \ infected$ by the human immunodeficiency virus (HIV) (PMID: 7698018). Western analysis suggests that LGALS3BP is found in breast milk, semen, saliva, urine, and tears, in addition to serum (PMID: 8390986). LGALS3BP has a predicted mass of 65 kDa. It is heavily glycosylated and shows an apparent molecular weight of 90 kDa on SDS-PAGE.

Storage

Storage:

The product is shipped with ice packs. Upon receipt, store it immediately at -80°C


Storage Buffer:

PBS Only


## Selected Validation Data




human blood were subjected to SDS PAGE followed by western blot with 60066-1-lg (LGALS3BP Antibody) at dilution of 1:2000 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 60066-1-PBS in a different storage buffer formulation.




Immunofluorescent analysis of (-20°C Methanol) fixed A431 cells using LGALS3BP antibody (60066-1-lg, Clone: 2D8E11) at dilution of 1:800 and CoraLite® 488-Conjugated AffiniPure Goat Anti-Mouse IgG(H+L). This data was developed using the same antibody clone with 60066-1-PBS in a different storage buffer formulation.



IP result of anti-LGALS3BP (IP:60066-1-Ig, 5ug; Detection:60066-1-Ig 1:1000) with human plasma lysate 4000ug. This data was developed using the same antibody clone with 60066-1-PBS in a different storage buffer formulation.



Immunohistochemical analysis of paraffinembedded human breast cancer tissue slide using 60066-1-lg (LGALS3BP Antibody) at dilution of 1:500 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 60066-1-PBS in a different storage buffer formulation.



Immunohistochemical analysis of paraffinembedded human breast cancer tissue slide using 60066-1-lg (LGALS3BP Antibody) at dilution of 1:500 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 60066-1-PBS in a different storage buffer formulation.