#### For Research Use Only

# SULT1A1 Monoclonal antibody

Catalog Number:60076-1-lg Featured Product

1 Publications



**Basic Information** 

**Applications** 

Catalog Number: 60076-1-lg Size:

2500 µg/ml Source: Mouse Isotype:

Immunogen Catalog Number:

AG4611

IgG2a

**Tested Applications:** WB, ELISA

**Cited Applications:** 

Species Specificity: human, mouse, rat, pig

**Cited Species:** 

GenBank Accession Number:

BC000923 GeneID (NCBI): 6817 **UNIPROT ID:** 

P50225 Full Name:

sulfotransferase family, cytosolic, 1A, phenol-preferring, member 1

Calculated MW: 34 kDa

Observed MW: 34 kDa

Positive Controls:

WB: pig brain tissue, U2OS cells, human placenta tissue, human liver tissue, Jurkat cells, HepG2 cells, HEK-293 cells, rat brain tissue, mouse brain tissue

**Purification Method:** 

Protein A purification

Recommended Dilutions:

WB 1:500-1:5000

CloneNo.:

10H6F6

## **Background Information**

SULT1A1, also named as ST1A1, P-PST 1, ST1A3, Ts-PST, P-PST 1, STP and STP1, belongs to the sulfotransferase 1 family. It catalyzes the sulfate conjugation of catecholamines, phenolic drugs and neurotransmitters. SULT1A1 is also responsible for the sulfation and activation of minoxidil. It mediates the metabolic activation of carcinogenic N-hydroxyarylamines to DNA binding products and could so participate as modulating factor of cancer risk. SULT1A1 is one of two phenol sulfotransferases with thermostable enzyme activity.

#### **Notable Publications**

Author	Pubmed ID	Journal	Application
Jianping Li	39746293	J Chromatogr B Analyt Technol Biomed Li <sup>*</sup> Sci	<sup>f</sup> e WB

### Storage


Storage:

Store at -20°C. Stable for one year after shipment.


PBS with 0.1% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

## Selected Validation Data



WB result of SULT1A1 antibody (60076-1-lg; 1:600; incubated at room temperature for 1.5 hours) with sh-Control and sh-SULT1A1 transfected Jurkat cells.



Various lysates were subjected to SDS PAGE followed by western blot with 60076-1-lg (SULT1A1 antibody) at dilution of 1:3000 incubated at room temperature for 1.5 hours.