

For Research Use Only

BRD8 Monoclonal antibody

Catalog Number: 60121-1-Ig **Featured Product**



Basic Information

Catalog Number: 60121-1-Ig	GenBank Accession Number: BC008039	Purification Method: Protein A purification
Size: 1000 µg/ml	GeneID (NCBI): 10902	CloneNo.: 5B6D6
Source: Mouse	UNIPROT ID: Q9H0E9	Recommended Dilutions: WB 1:500-1:2000 IHC 1:50-1:500 IF 1:1000-1:4000
Isotype: IgG1	Full Name: bromodomain containing 8	
Immunogen Catalog Number: AG0790	Calculated MW: 120 kDa	
	Observed MW: 120 kDa	

Applications

Tested Applications:
IF/ICC, IHC, WB, ELISA

Species Specificity:
human, mouse, rat

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB : fetal human brain tissue, HeLa cells

IHC : human colon cancer tissue,

IF : HepG2 cells, HEK-293 cells

Background Information

BRD8 is one of the bromodomain-containing proteins, which is an acetylated lysine-binding domain and thought to be involved in regulation of protein acetylation and/or HAT (histone acetyl transferase) activity [PMID: 12963728]. It is also reported to be an accessory subunit of NuA4 HAT complex (also known as TRRAP/TIP60 complex) through biochemical purification [PMID: 16049979]. In addition, it can bind to thyroid hormone receptor-β and/or retinoid X receptor, and can act as a coactivator of the nuclear hormone receptor-mediated transcription in reporter assays [PMID: 10517671].

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

For technical support and original validation data for this product please contact:


T: 4006900926

E: Proteintech-CN@ptglab.com


W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




WB result of BRD8 antibody (60121-1-Ig, 1:8000) with si-Control and si-BRD8 transfected HeLa cells..



fetal human brain tissue were subjected to SDS PAGE followed by western blot with 60121-1-Ig (BRD8 Antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffin-embedded human colon cancer tissue slide using 60121-1-Ig (BRD8 Antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (4% PFA) fixed HepG2 cells using BRD8 antibody (60121-1-Ig, Clone: 5B6D6) at dilution of 1:2000 and CoraLite®488-Conjugated AffiniPure Goat Anti-Mouse IgG(H+L).