

For Research Use Only

NF-L Monoclonal antibody

Catalog Number: 60189-1-Ig **4 Publications**



Basic Information

Catalog Number: 60189-1-Ig	GenBank Accession Number: BC039237	Purification Method: Protein A purification
Size: 1435 ug/ml	GeneID (NCBI): 4747	CloneNo.: 5C12G4
Source: Mouse	UNIPROT ID: P07196	Recommended Dilutions: WB 1:20000-1:100000 IHC 1:250-1:1000 IF-P 1:50-1:500
Isotype: IgG1	Full Name: neurofilament, light polypeptide	
Immunogen Catalog Number: AG15178	Calculated MW: 543 aa, 62 kDa	
	Observed MW: 65 kDa	

Applications

Tested Applications: WB, IHC, IF-P, FC (Intra), ELISA	Positive Controls: WB : PC-12 cells, human brain tissue, pig brain tissue, rat brain tissue, mouse brain tissue IHC : rat brain tissue, human brain tissue, mouse brain tissue IF-P : mouse brain tissue, rat brain tissue
Cited Applications: WB, IF, FC (Intra)	
Species Specificity: human, mouse, rat, pig	
Cited Species: human, mouse, rat	
Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0	

Background Information

NEFL, also named as NF68 and NF-L, belongs to the intermediate filament family. Neurofilaments are the 10 nm intermediate filaments found specifically in neurons. They are a major component of the cell's cytoskeleton, and provide support for normal axonal radial growth. Neurofilaments usually contain three intermediate filament proteins: L, M, and H, which are involved in the maintenance of neuronal caliber. The names given to the three major neurofilament subunits are based upon the apparent molecular weight of the mammalian subunits on SDS-PAGE: NF-L, 65-68 kDa; NF-M, 145-160 kDa and NF-H, 200-220 kDa. This antibody is specific to NEFL.

Notable Publications

Author	Pubmed ID	Journal	Application
Jing Duan	39385200	J Neuroinflammation	FC (Intra)
Ying Zhou	38940834	ACS Nano	WB, IF
Rui Yang	38701940	J Stroke Cerebrovasc Dis	WB


Storage

Storage:
Store at -20°C. Stable for one year after shipment.
Storage Buffer:
PBS with 0.02% sodium azide and 50% glycerol pH 7.3.
Aliquoting is unnecessary for -20°C storage


For technical support and original validation data for this product please contact:
T: 4006900926 E: Proteintech-CN@ptglab.com W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




Immunohistochemical analysis of paraffin-embedded rat brain tissue slide using 60189-1-Ig (NF-L antibody) at dilution of 1:500 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Various lysates were subjected to SDS PAGE followed by western blot with 60189-1-Ig (NF-L antibody) at dilution of 1:100000 incubated at room temperature for 1.5 hours.



Immunofluorescent analysis of (4% PFA) fixed mouse brain tissue using 60189-1-Ig (NF-L antibody) at dilution of 1:50 and Alexa Fluor 488-conjugated AffiniPure Goat Anti-Mouse IgG(H+L).



Immunohistochemical analysis of paraffin-embedded rat brain tissue slide using 60189-1-Ig (NF-L antibody) at dilution of 1:10000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).

1X10⁶ PC-12 cells were intracellularly stained with 0.4 ug Anti-Human NF-L (60189-1-Ig, Clone:5C12G4) and CoraLite®488-Conjugated AffiniPure Goat Anti-Mouse IgG(H+L) at dilution 1:1000 (red), or 0.4 ug Control Antibody. Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C).