For Research Use Only

UBC9 Monoclonal antibody

Catalog Number:60201-1-lg 1 Publications



Basic Information

Catalog Number: GenBank Accession Number: 60201-1-lg BC004437

Concentration: GeneID (NCBI): 7329

7329
UNIPROT ID:
P63279
Full Name:
ubiquitin-conjugating enzyme E2I

Immunogen Catalog Number: (UBC9 homolog, yeast)
AG7885 Calculated MW:

18 kDa

Observed MW: 18 kDa

Applications

Tested Applications: WB, IHC, ELISA Cited Applications: WB IF

Source: Mouse

Isotype: IgG2a

Species Specificity: human, mouse, rat Cited Species: human, monkey

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0 Positive Controls:

WB: LNCaP cells, rat kidney tissue, HeLa cells, HepG2 cells, Jurkat cells, HSC-T6 cells, PC-12 cells, NIH/3T3

Purification Method:

Protein A purification

Recommended Dilutions:

WB 1:5000-1:50000 IHC 1:200-1:600

CloneNo.:

4A10B11

cells, 4T1 cells

IHC: human lymphoma tissue,

Background Information

UBC9 is also named as UBE2I, UBCE9 and belongs to the ubiquitin-conjugating enzyme family. It is a homologue of the E2 ubiquitin conjugating enzyme and participates in the covalent linking of SUMO-1 molecule to the target protein. This protein is present at a high level in spleen and lung. Moderate level of UBC9 is detected in kidney and liver. Low amount of UBC9 is observed in brain, whereas the 18 kDa band of UBC9 is barely visible or absent in heart and skeletal muscle. In heart and muscle extracts the UBC9 antibodies recognizes a 38 kDa protein band, but this band is not visible in extracts of other rat tissues(PMID:14739995).

Notable Publications

Author	Pubmed ID	Journal	Application
Congcong Huang	38140545	Viruses	WB,IF

Storage

Storage:


Store at -20°C. Stable for one year after shipment.

Storage Buffer

PBS with 0.02% sodium azide and 50% glycerol, pH7.3

Aliquoting is unnecessary for -20°C storage


Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 60201-1-1g (UBC9 antibody) at dilution of 1:20000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded human lymphoma tissue slide using 60201-1-1g (UBC9 Antibody) at dilution of 1:400 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human lymphoma tissue slide using 60201-1-Ig (UBC9 Antibody) at dilution of 1:400 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).