For Research Use Only

Myosin Light Chain 2/MLC-2V Monoclonal antibody, PBS Only

Catalog Number:60229-1-PBS



Basic Information

Catalog Number:

GenBank Accession Number: BC015821

Protein A purification

60229-1-PBS

GeneID (NCBI):

Purification Method: CloneNo.:

Size: 1mg/ml

UNIPROT ID:

P10916

18 kDa

5A1F1

Source: Mouse Isotype:

Full Name: myosin, light chain 2, regulatory,

lgG1

cardiac, slow

AG1356

Calculated MW: 19 kDa Observed MW:

Applications

Tested Applications:

WB, IHC, IF/ICC, Indirect ELISA

Immunogen Catalog Number:

Species Specificity:

human, mouse, rat, pig, rabbit

Background Information

MYL2, also named as MLC-2v and MLC-2, is ventricular/cardiac muscle isoform. Defects in MYL2 are the cause of cardiomyopathy familial hypertrophic type 10 (CMH10). Defects in MYL2 are the cause of cardiomyopathy familial hypertrophic with mid-left ventricular chamber type 2 (MVC2). MYL2 has been widely used as a marker of mature ventricular cardiomyocytes.


Storage

Storage:

The product is shipped with ice packs. Upon receipt, store it immediately at -80°C

Storage Buffer: PBS Only


Selected Validation Data



Immunohistochemical analysis of paraffinembedded human heart tissue slide using 60229-1-Ig (Myosin Light Chain 2 antibody) at dilution of 1:500 (under 0x lens). This data was developed using the same antibody clone with 60229-1-PBS in a different storage buffer formulation.




Immunohistochemical analysis of paraffinembedded human heart tissue slide using 60229-1-lg (Myosin Light Chain 2 antibody) at dilution of 1:500 (under 0x lens). This data was developed using the same antibody clone with 60229-1-PBS in a different storage buffer formulation.



Various lysates were subjected to SDS PAGE followed by western blot with 60229-1-Ig (Myosin Light Chain 2/MLC-2V antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 60229-1-PBS in a different storage buffer formulation.




Immunohistochemical analysis of paraffinembedded mouse skeletal muscle tissue slide using 60229-1-lg (Myosin Light Chain 2/MLC-2V antibody) at dilution of 1:1000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 60229-1-PBS in a different storage buffer formulation.



Immunohistochemical analysis of paraffinembedded mouse heart tissue slide using 60229-1-Ig (Myosin Light Chain 2/MLC-2V antibody) at dilution of 1:1000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 60229-1-PBS in a different storage buffer formulation.

Immunohistochemical analysis of paraffinembedded human heart tissue slide using 60229-1-lg (Myosin Light Chain 2 antibody) at dilution of 1:500 (under 10x lens). This data was developed using the same antibody clone with 60229-1-PBS in a different storage buffer formulation.



Immunofluorescent analysis of (-20°C Methanol) fixed C2C12 cells using Myosin Light Chain 2/MLC-2V antibody (60229-1-lg, Clone: 5A1F1) at dilution of 1:800 and CoraLite@488-Conjugated Affini Pure Goat Anti-Mouse IgG(H+L). This data was developed using the same antibody clone with 60229-1-PBS in a different storage buffer formulation