For Research Use Only

Cytokeratin 15 Monoclonal antibody

Catalog Number:60247-1-lg 2 Publications



Basic Information

Catalog Number: 60247-1-lg

Size: 1629 μ g/ml Source: Mouse Isotype: lgG1

Immunogen Catalog Number:

AG0185

Observed MW: 49 kDa

BC002641

3866

P19012

GeneID (NCBI):

UNIPROT ID:

Full Name:

keratin 15 Calculated MW:

49 kDa

GenBank Accession Number:

Purification Method:

Protein A purification

CloneNo.: 6B4F8

Recommended Dilutions: WB 1:500-1:2000 IHC 1:100-1:1000 IF/ICC 1:10-1:100

Applications

Tested Applications: WB, IF/ICC, IHC, ELISA Cited Applications:

IF

Species Specificity: human, mouse **Cited Species:**

mouse

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB: A431 cells,

IHC: human oesophagus cancer tissue, human skin

cancer tissue

IF/ICC: HeLa cells,

Background Information

Keratins are a large family of proteins that form the intermediate filament cytoskeleton of epithelial cells. Keratin expression is highly regulated, tissue specific, and varies according to cell-state. Type I keratins consist of acidic, low molecular weight proteins with MW ranging from 40 kDa (KRT19) to 64 kDa (KRT9). Type 2 keratins consist of basic or neutral, high molecular weight proteins with MW from 52 kDa (KRT8) to 67 kDa (KRT18). Keratin 15 is a type I cytokeratin. It is found in some progenitor basal cells within complex epithelia.

Notable Publications

Author	Pubmed ID	Journal	Application
Jiali Li	36388171	Oxid Med Cell Longev	IF
Ning Li	39113800	Theranostics	IF

Storage


Storage:

Store at -20°C. Stable for one year after shipment.


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


Selected Validation Data




A431 cells were subjected to SDS PAGE followed by western blot with 60247-1-1g (Cytokeratin 15 antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded human oesophagus cancer tissue slide using 60247-1-lg (Cytokeratin 15 antibody at dilution of 1:500 (under 10x lens).



Immunohistochemical analysis of paraffinembedded human oesophagus cancer tissue slide using 60247-1-1g (Cytokeratin 15 antibody at dilution of 1:500 (under 40x lens).



Immunofluorescent analysis of (-20°C Ethanol) fixed HeLa cells using Cytokeratin 15 antibody (60247-1-lg, Clone: 6B4F8) at dilution of 1:25 and CoraLite488-Conjugated Goat Anti-Mouse IgG(H+L).