For Research Use Only

GOT1 Monoclonal antibody

Catalog Number:60317-1-lg Featured Product 2 Publications





Basic Information	Catalog Number: 60317-1-lg	r: GenBank Accession Number: BC000498		Purification Method: Protein G purification	
	Size:			CloneNo.:	
	780 µ g/ml	2805		5A12E10	
	Source: Mouse	UNIPROT ID: P17174 Full Name: glutamic-oxaloacetic transaminas		Recommended Dilutions: WB 1:2000-1:10000 IHC 1:20-1:200 ISE 1 IF/ICC 1:200-1:800	
	lsotype: lgG1				
	Immunogen Catalog Number:	soluble (aspartate aminotransferase 1)			
	AG7012	Calculated MW: 46 kDa	Calculated MW:		
		Observed MW: 40-46 kDa			
Applications	Tested Applications:		Positive Controls: WB : LNCaP cells, rat brain tissue, rat heart tissue,		
	WB, IHC, IF/ICC, ELISA				
	Cited Applications: WB, IF, IP			ain tissue, K-562 cells, chicken brain, chicke	
	human, mouse, rat, chicken			liver cancer tissue,	
	Cited Species: human	Cited Species:		52 cells,	
	Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0				
Background Informatio	Glutamate oxaloacetate transaminase 1 (GOT1) catalyzes the reversible reaction of L-aspartate and alpha- ketoglutarate into oxaloacetate and L-glutamate and plays a key role in carbon and nitrogen metabolism. GOT1 can potentially control the intracellular levels of reactive oxygen species (ROS) through NADPH synthesis and enhances tumor growth. GOT1 expression correlates with the growth of several tumors.				
Notable Publications	Author	Pubmed ID Jou	ırnal	Application	
	Wenzhu Li	28544376 J Ce	ell Mol Med	WB	
	Chuanzhen Yang	37291265 Nat	t Cell Biol	WB,IF,IP	
Storage	Storage: Store at -20°C. Stable for one yea Storage Buffer: PBS with 0.02% sodium azide ar Aliquoting is unnecessary for -20	nd 50% glycerol pH 7.3.			

For technical support and original validation data for this product please contact: E: Proteintech-CN@ptglab.com T: 4006900926 W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data





Various lysates were subjected to SDS PAGE Immunohistoch followed by western blot with 60317-1-1g (GOT1 antibody) at dilution of 1:5000 incubated at room temperature for 1.5 hours. GOT1 (under 10x lens)

Immunohistochemical analysis of paraffinembedded human liver cancer tissue slide using 60317-1-1g (GOT1 Antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human liver cancer tissue slide using 60317-1-Ig (GOT1 Antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (-20°C Ethanol) fixed HepG2 cells using GOT1 antibody (60317-1-Ig, Clone: 5A12E10) at dilution of 1:400 and CoraLite®488-Conjugated Goat Anti-Mouse IgG(H+L).